AUTHOR INDEX VOLUME 137

A

Abney, J.R., Cutler, B., Fillbach, M.L., Axelrod, D., and Scalettar, B.A. Chromatin dynamics in interphase nuclei and its implications for nuclear structure. 1459.

Abu-Amer, Y., Ross, F.P., Schlesinger, P., Tondravi, M.M., and Teitelbaum, S.L. Substrate recognition by osteoclast precursors induces c-src/microtubule association. 247.

Adachi, H., Takahashi, Y., Hasebe, T., Shirouzu, M., Yokoyama, S., and Sutoh, K. *Dictyostelium* IQGAP-related protein specifically involved in the completion of cytokinesis. 891.

Agard, D.A. *See* Bass, Marshall, Sedat, Agard, and Cande.

Agarraberes, F.A., Terlecky, S.R., and Dice, J.F. An intralysosomal hsp70 is required for a selective pathway of lysosomal protein degradation. 825.

Ager, A. *See* del Pozo, Cabañas, Montoya, Ager, Sánchez-Mateos, and Sánchez-Madrid.

Alnemri, E.S. *See* MacFarlane, Cain, Sun, Alnemri, and Cohen.

Altschuler, Y. *See* Pollack, Barth, Altschuler, Nelson, and Mostov.

Amati, P. *See* Anastasi, Giordano, Sthandier, Gambarotta, Maione, Comoglio, and Amati.

Amherdt, M. *See* Paek, Orci, Ravazzola, Erdjument-Bromage, Amherdt, Tempst, Söllner, and Rothman.

Amigorena, S. *See* Brachet, Raposo, Amigorena, and Mellman.

Anastasi, S., Giordano, S., Sthandier, O., Gambarotta, G., Maione, R., Comoglio, P., and Amati, P. A natural hepatocyte growth factor/scatter factor autocrine loop in myoblast cells and the effect of the constitutive *met* kinase activation on myogenic differentiation. 1057.

Ando-Akatsuka, Y. *See* Sakakibara, Furuse, Saitou, Ando-Akatsuka, and Tsukita.

Andrews, N.W. *See* Rodríguez, Webster, Ortego, and Andrews.

Armandola, E.A. *See* Mariani, Matiba, Armandola, and Krammer.

Arndt-Jovin, D.J. *See* Buchenau, Saumweber, and Arndt-Jovin.

Arvan, P. *See* Kuliawat, Klumperman, Ludwig, and Arvan.

Axelrod, D. *See* Abney, Cutler, Fillbach, Axelrod, and Scalettar.

Ayscough, K.R., Stryker, J., Pokala, N., Sanders, M., Crews, P., and Drubin, D.G. High rates of actin filament turnover in budding yeast and roles for actin in establishment and maintenance of cell polarity revealed using the actin inhibitor latrunculin-A. 399.

B

Baker, C.A. *See* Geng, Raub, Baker, Sawada, Ma, and Elhammer.

Balch, W.E. *See* Tisdale, Plutner, Matteson, and Balch.

Barth, A.I.M. *See* Pollack, Barth, Altschuler, Nelson, and Mostov.

Bashour, A.-M., Fullerton, A.T., Hart, M.J., and Bloom, G.S. IQGAP1, a rac- and Cdc42-binding protein, directly binds and cross-links microfilaments. 1555.

Bass, H.W., Marshall, W.F., Sedat, J.W., Agard, D.A., and Cande, W.Z. Telomeres cluster de novo before the initiation of synapsis: A three-dimensional spatial analysis of telomere positions before and during meiotic prophase. 5.

Basset, P. *See* Okada, Tomasetto, Lutz, Bellocq, Rio, and Basset.

Bassnett, S., and Mataic, D. Chromatin degradation in differentiating fiber cells of the eye lens. 37.

Bastos, R., de Pouplana, L.R., Enarson, M., Bodoor, K., and Burke, B. Nup84, a novel nucleoporin that is associated with CAN/Nup214 on the cytoplasmic face of the nuclear pore complex. 989.

Beattie, G.M. *See* Ptasznik, Beattie, Mally, Cirulli, Lopez, and Hayek.

Becker, K.D., Gottshall, K.R., Hickey, R., Perriard, J.-C., and Chien, K.R. Point mutations in human β cardiac myosin heavy chain have differential effects on sarcomeric structure and assembly: An ATP binding site change disrupts both thick and thin filaments, whereas hypertrophic cardiomyopathy mutations display normal assembly. 131.

Beisel, C. *See* Izaurralde, Jarmolowski, Beisel, Mattaj, Dreyfuss, and Fischer.

Bellen, H.J. *See* Littleton, Bhat, and Bellen.

Bellocq, J.-P. *See* Okada, Tomasetto, Lutz, Bellocq, Rio, and Basset.

Benashski, S.E. *See* Patel-King, Benashski, Harrison, and King.

Bennett, V. *See* Garver, Ren, Tuvia, and Bennett.

Berry, L.D., and Gould, K.L. Fission yeast *dim1*$^{+}$ encodes a functionally conserved polypeptide essential for mitosis. 1337.

Beschin, A. *See* Magez, Geuskens, Beschin, del Favero, Verschueren, Lucas, Pays, and de Baetselier.

Betz, H. *See* Lenz-Böhme, Wismar, Fuchs, Reifegerste, Buchner, Betz, and Schmitt.

Bhat, M.A. *See* Littleton, Bhat, and Bellen.

Bianchi, M.E. *See* Falciola, Spada, Calogero, Längst, Voit, Grummt, and Bianchi.

Bijlmakers, M.-J.J.E., Isobe-Nakamura, M., Ruddock, L.J., and Marsh, M. Intrinsic signals in the unique domain target p56^{lck} to the plasma membrane independently of CD4. 1029.

Bingham, J.B. *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.

Bissell, M.J. *See* Weaver, Petersen, Wang, Larabell, Briand, Damsky, and Bissell.

Blocker, A., Severin, F.F., Burkhardt, J.K., Bingham, J.B., Yu, H., Olivo, J.-C., Schroer, T.A., Hyman, A.A., and Griffiths, G. Molecular requirements for bi-directional movement of phagosomes along microtubules. 113.

Bloom, G.S. *See* Bashour, Fullerton, Hart, and Bloom.

Bodoor, K. *See* Bastos, de Pouplana, Enarson, Bodoor, and Burke.

Bowers, C.W. *See* Hungerford, Hoeffler, Bowers, Dahm, Falchetto, Shabanowitz, Hunt, and Little.

Brachet, V., Raposo, G., Amigorena, S., and Mellman, I. Ii chain controls the transport of major histocompatibility complex class II molecules to and from lysosomes. 51.

Braga, V.M.M., Machesky, L.M., Hall, A., and Hotchin, N.A. The small GTPases Rho and Rac are required for the establishment of cadherin-dependent cell–cell contacts. 1421.

Brandazza, A. *See* Franco, Iaccarino, Chiaradonna, Brandazza, Iavarone, Mastronicola, Nolli, and Stoppelli.

Brandenberger, R. *See* Denzer, Brandenberger, Gesemann, Chiquet, and Ruegg.

Bredesen, D.E. *See* Longo, Ellerby, Bredesen, Valentine, and Gralla.

Breier, G. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.

Briand, P. *See* Weaver, Petersen, Wang, Larabell, Briand, Damsky, and Bissell.

Brockhausen, I. *See* Whitehouse, Burchell, Gschmeissner, Brockhausen, Lloyd, and Taylor-Papadimitriou.

Brun, R. *See* Ruepp, Furger, Kurath, Kunz Renggli, Hemphill, Brun, and Roditi.

Bruyneel, E. *See* van Hengel, Gohon, Bruyneel, Vermeulen, Cornelissen, Mareel, and van Roy.

Buchenau, P., Saumweber, H., and Arndt-Jovin, D.J. The dynamic nuclear redistribution of an hnRNP K-homologous protein during *Drosophila* embryo development and heat shock. Flexibility of transcription sites in vivo. 291.

Buchner, E. *See* Lenz-Böhme, Wismar, Fuchs, Reifegerste, Buchner, Betz, and Schmitt.

Burchell, J. *See* Whitehouse, Burchell, Gschmeissner, Brockhausen, Lloyd, and Taylor-Papadimitriou.

Burke, B. *See* Bastos, de Pouplana, Enarson, Bodoor, and Burke.

Burkhardt, J.K. *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.

Butler, M.H., David, C., Ochoa, G.-C., Freyberg, Z., Daniell, L., Grabs, D., Cremona, O., and De Camilli, P. Amphiphysin II (SH3P9; BIN1), a member of the amphiphysin/Rvs family, is concentrated in the cortical cytomatrix of axon initial segments and nodes of Ranvier in brain and around T tubules in skeletal muscle. 1355.

Buttle, K.F. *See* McEwen, Heagle, Cassels, Buttle, and Rieder.

Byers, B. *See* McDonald and Byers.

C

Cabañas, C. *See* del Pozo, Cabañas, Montoya, Ager, Sánchez-Mateos, and Sánchez-Madrid.
Cai, S. *See* Klemke, Cai, Giannini, Gallagher, de Lanerolle, and Cheresh.
Cain, K. *See* MacFarlane, Cain, Sun, Alnemri, and Cohen.
Calogero, S. *See* Falciola, Spada, Calogero, Längst, Voit, Grummt, and Bianchi.
Camphausen, R.T. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
Cande, W.Z. *See* Bass, Marshall, Sedat, Agard, and Cande.
Carmeliet, P. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Carmo-Fonseca, M. *See* Gama-Carvalho, Krauss, Chiang, Valcárcel, Green, and Carmo-Fonseca.
Cassels, G.O. *See* McEwen, Heagle, Cassels, Buttle, and Rieder.
Cereghino, J.L. *See* Seaman, Marcusson, Cereghino, and Emr.
Chang, F., Drubin, D., and Nurse, P. cdc12p, a protein required for cytokinesis in fission yeast, is a component of the cell division ring and interacts with profilin. 169.
Chang, T.-H. *See* Xie, Laird, Chang, and Hu.
Chasis, J.A. *See* Krauss, Larabell, Lockett, Gascard, Penman, Mohandas, and Chasis.
Chen, L.I., Webster, M.K., Meyer, A.N., and Donoghue, D.J. Transmembrane domain sequence requirements for activation of the $p185^{c\text{-}neu}$ receptor tyrosine kinase. 619.
Cheng, D. *See* Trapp, Nishiyama, Cheng, and Macklin.
Cheresh, D.A. *See* Klemke, Cai, Giannini, Gallagher, de Lanerolle, and Cheresh.
Chiang, L. *See* Gama-Carvalho, Krauss, Chiang, Valcárcel, Green, and Carmo-Fonseca.
Chiaradonna, F. *See* Franco, Iaccarino, Chiaradonna, Brandazza, Iavarone, Mastronicola, Nolli, and Stoppelli.
Chien, K.R. *See* Becker, Gottshall, Hickey, Perriard, and Chien.
Chiquet, M. *See* Denzer, Brandenberger, Gesemann, Chiquet, and Ruegg.
Christopoulou, L. *See* Simpson, Peden, Christopoulou, and Robinson.
Cirulli, V. *See* Ptasznik, Beattie, Mally, Cirulli, Lopez, and Hayek.
Clark, R.A., Erickson, H.P., and Springer, T.A. Tenascin supports lymphocyte rolling. 755.
Cohen, G.M. *See* MacFarlane, Cain, Sun, Alnemri, and Cohen.
Collard, J.G. *See* Michiels, Stam, Hordijk, van der Kammen, Ruuls-Van Stalle, Feltkamp, and Collard.
Collins, R.N. *See* Walch-Solimena, Collins, and Novick.
Comess, K.M. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
Comoglio, P. *See* Anastasi, Giordano, Sthandier, Gambarotta, Maione, Comoglio, and Amati.
Copeland, N.G. *See* Miner, Patton, Lentz, Gilbert, Snider, Jenkins, Copeland, and Sanes.
Corey, D.P. *See* Hasson, Gillespie, Garcia, MacDonald, Zhao, Yee, Mooseker, and Corey.
Cornelissen, M. *See* van Hengel, Gohon, Bruyneel, Vermeulen, Cornelissen, Mareel, and van Roy.
Corsi, A.K., and Schekman, R. The lumenal domain of sec63p stimulates the ATPase activity of BiP and mediates BiP recruitment to the translocon in *Saccharomyces cerevisiae.* 1483.
Couture, C. *See* Farschon, Couture, Mustelin, and Newmeyer.
Craven, R.A. *See* Saris, Holkeri, Craven, Stirling, and Makarow.
Cremona, O. *See* Butler, David, Ochoa, Freyberg, Daniell, Grabs, Cremona, and De Camilli.
Crews, P. *See* Ayscough, Stryker, Pokala, Sanders, Crews, and Drubin.
Cutler, B. *See* Abney, Cutler, Fillbach, Axelrod, and Scalettar.

D

Dahm, L.M. *See* Hungerford, Hoeffler, Bowers, Dahm, Falchetto, Shabanowitz, Hunt, and Little.
Damsky, C. *See* Weaver, Petersen, Wang, Larabell, Briand, Damsky, and Bissell.
Daniell, L. *See* Butler, David, Ochoa, Freyberg, Daniell, Grabs, Cremona, and De Camilli.
David, C. *See* Butler, David, Ochoa, Freyberg, Daniell, Grabs, Cremona, and De Camilli.
Davis, K.A. *See* Kashiwagi, Schwartz, Eigenthaler, Davis, Ginsberg, and Shattil.
de Baetselier, P. *See* Magez, Geuskens, Beschin, del Favero, Verschueren, Lucas, Pays, and de Baetselier.
De Camilli, P. *See* Butler, David, Ochoa, Freyberg, Daniell, Grabs, Cremona, and De Camilli.
Deerinck, T.J. *See* Huang, Deerinck, Ellisman, and Spector.
DeFranco, D.B. *See* Yang, Liu, and DeFranco.
de Lanerolle, P. *See* Klemke, Cai, Giannini, Gallagher, de Lanerolle, and Cheresh.
del Favero, H. *See* Magez, Geuskens, Beschin, del Favero, Verschueren, Lucas, Pays, and de Baetselier.
del Pozo, M.A., Cabañas, C., Montoya, M.C., Ager, A., Sánchez-Mateos, P., and Sánchez-Madrid, F. ICAMs redistributed by chemokines to cellular uropods as a mechanism for recruitment of T lymphocytes. 493.
Deng, C. *See* Saunders, Hornack, Lengyel, and Deng.
Denzer, A.J., Brandenberger, R., Gesemann, M., Chiquet, M., and Ruegg, M.A. Agrin binds to the nerve–muscle basal lamina via laminin. 671.
de Pouplana, L.R. *See* Bastos, de Pouplana, Enarson, Bodoor, and Burke.
Dice, J.F. *See* Agarraberes, Terlecky, and Dice.
Ding, H. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
DiPersio, C.M., Hodivala-Dilke, K.M., Jaenisch, R., Kreidberg, J.A., and Hynes, R.O. $\alpha 3\beta 1$ integrin is required for normal development of the epidermal basement membrane. 729.
Dittmar, H. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
do Carmo Avides, M. *See* Saunders, do Carmo Avides, Howard, Gonzalez, and Glover.
Donoghue, D.J. *See* Chen, Webster, Meyer, and Donoghue.
Dreyfuss, G. *See* Izaurralde, Jarmolowski, Beisel, Mattaj, Dreyfuss, and Fischer.
Drubin, D. *See* Chang, Drubin, and Nurse.
Drubin, D.G. *See* Ayscough, Stryker, Pokala, Sanders, Crews, and Drubin.
Duband, J.-L. *See* Monier-Gavelle and Duband.
Dumin, J.A. *See* Pilcher, Dumin, Sudbeck, Krane, Welgus, and Parks.

E

Eigenthaler, M. *See* Kashiwagi, Schwartz, Eigenthaler, Davis, Ginsberg, and Shattil.
Eitzen, G.A., Szilard, R.K., and Rachubinski, R.A. Enlarged peroxisomes are present in oleic acid–grown *Yarrowia lipolytica* overexpressing the *PEX16* gene encoding an intraperoxisomal peripheral membrane peroxin. 1265.
Elhammer, Å.P. *See* Geng, Raub, Baker, Sawada, Ma, and Elhammer.
Ellerby, L.M. *See* Longo, Ellerby, Bredesen, Valentine, and Gralla.
Ellisman, M.H. *See* Huang, Deerinck, Ellisman, and Spector.
Emr, S.D. *See* Seaman, Marcusson, Cereghino, and Emr.
Enarson, M. *See* Bastos, de Pouplana, Enarson, Bodoor, and Burke.
Endow, S.A., and Komma, D.J. Spindle dynamics during meiosis in *Drosophila* oocytes. 1321.
Erdjument-Bromage, H. *See* Paek, Orci, Ravazzola, Erdjument-Bromage, Amherdt, Tempst, Söllner, and Rothman.
Erickson, H.P. *See* Clark, Erickson, and Springer.

F

Falchetto, R. *See* Hungerford, Hoeffler, Bowers, Dahm, Falchetto, Shabanowitz, Hunt, and Little.
Falciola, L., Spada, F., Calogero, S., Längst, G., Voit, R., Grummt, I., and Bianchi, M.E. High mobility group 1 protein is not stably associated with the chromosomes of somatic cells. 19.
Fambrough, D.M. *See* Gough and Fambrough.
Fanger, C.M. *See* Hoth, Fanger, and Lewis.
Farschon, D.M., Couture, C., Mustelin, T., and Newmeyer, D.D. Temporal phases in apoptosis defined by the actions of Src homology 2 domains, ceramide, Bcl-2, interleukin-1β converting enzyme family proteases, and a dense membrane fraction. 1117.
Feltkamp, C.A. *See* Michiels, Stam, Hordijk, van der Kammen, Ruuls-Van Stalle, Feltkamp, and Collard.
Ferrell, J.E., Jr. *See* Wang, Zhai, and Ferrell.
Fetka, I. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.

Fiers, W. *See* Vandevoorde, Haegeman, and Fiers.
Fillbach, M.L. *See* Abney, Cutler, Fillbach, Axelrod, and Scalettar.
Fischbach, G. *See* Vartanian, Goodearl, Viehöver, and Fischbach.
Fischer, U. *See* Izaurralde, Jarmolowski, Beisel, Mattaj, Dreyfuss, and Fischer.
Fischer von Mollard, G., Nothwehr, S.F., and Stevens, T.H. The yeast v-SNARE Vti1p mediates two vesicle transport pathways through interactions with the t-SNAREs Sed5p and Pep12p. 1511.
Flucher, B.E. *See* Protasi, Franzini-Armstrong, and Flucher.
Foglesong, M.J. *See* Wilson, Foglesong, and Snell.
Franco, P., Iaccarino, C., Chiaradonna, F., Brandazza, A., Iavarone, C., Mastronicola, M.R., Nolli, M.L., and Stoppelli, M.P. Phosphorylation of human pro-urokinase on ser $^{138/303}$ impairs its receptor-dependent ability to promote myelomonocytic adherence and motility. 779.
Franzini-Armstrong, C. *See* Protasi, Franzini-Armstrong, and Flucher.
Freyberg, Z. *See* Butler, David, Ochoa, Freyberg, Daniell, Grabs, Cremona, and De Camilli.
Fuchs, E. *See* Yang, Gallicano, Yu, and Fuchs.
Fuchs, S. *See* Lenz-Böhme, Wismar, Fuchs, Reifegerste, Buchner, Betz, and Schmitt.
Fujita, J. *See* Nishiyama, Itoh, Kaneko, Kishishita, Yoshida, and Fujita.
Fullerton, A.T. *See* Bashour, Fullerton, Hart, and Bloom.
Furger, A. *See* Ruepp, Furger, Kurath, Kunz Renggli, Hemphill, Brun, and Roditi.
Furuse, M. *See* Sakakibara, Furuse, Saitou, Ando-Akatsuka, and Tsukita.

G

Gallagher, P.J. *See* Klemke, Cai, Giannini, Gallagher, de Lanerolle, and Cheresh.
Gallicano, G.I. *See* Yang, Gallicano, Yu, and Fuchs.
Gama-Carvalho, M., Krauss, R.D., Chiang, L., Valcárcel, J., Green, M.R., and Carmo-Fonseca, M. Targeting of U2AF^{65} to sites of active splicing in the nucleus. 975.
Gambarotta, G. *See* Anastasi, Giordano, Sthandier, Gambarotta, Maione, Comoglio, and Amati.
Garcia, J.A. *See* Hasson, Gillespie, Garcia, MacDonald, Zhao, Yee, Mooseker, and Corey.
Garruti, G. *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.
Garver, T.D., Ren, Q., Tuvia, S., and Bennett, V. Tyrosine phosphorylation at a site highly conserved in the L1 family of cell adhesion molecules abolishes ankyrin binding and increases lateral mobility of neurofascin. 703.
Gascard, P. *See* Krauss, Larabell, Lockett, Gascard, Penman, Mohandas, and Chasis.
Gebbink, M.F.B.G., Kranenburg, O., Poland, M., van Horck, F.P.G., Houssa, B., and Moolenaar, W.H. Identification of a novel, putative Rho-specific GDP/GTP exchange factor and a RhoA-binding protein: Control of neuronal morphology. 1603.
Geng, J.-G., Raub, T.J., Baker, C.A., Sawada, G.A., Ma, L., and Elhammer, Å.P. Expression of a P-selectin ligand in zona pellucida of porcine oocytes and P-selectin on acrosomal membrane of porcine sperm cells. Potential implications for their involvement in sperm–egg interactions. 743.
Gerace, L. *See* Yang, Guan, and Gerace.
Gesemann, M. *See* Denzer, Brandenberger, Gesemann, Chiquet, and Ruegg.
Geuskens, M. *See* Magez, Geuskens, Beschin, del Favero, Verschueren, Lucas, Pays, and de Baetselier.
Giannini, A.L. *See* Klemke, Cai, Giannini, Gallagher, de Lanerolle, and Cheresh.
Gilbert, D.J. *See* Miner, Patton, Lentz, Gilbert, Snider, Jenkins, Copeland, and Sanes.
Gillespie, P.G. *See* Hasson, Gillespie, Garcia, MacDonald, Zhao, Yee, Mooseker, and Corey.
Ginsberg, M.H. *See* Kashiwagi, Schwartz, Eigenthaler, Davis, Ginsberg, and Shattil.
Giordano, S. *See* Anastasi, Giordano, Sthandier, Gambarotta, Maione, Comoglio, and Amati.
Glover, D.M. *See* Saunders, do Carmo Avides, Howard, Gonzalez, and Glover.
Goetz, D.J., Greif, D.M., Ding, H., Camphausen, R.T., Howes, S., Comess, K.M., Snapp, K.R., Kansas, G.S., and Luscinskas, F.W. Isolated P-selectin glycoprotein ligand-1 dynamic adhesion to P- and E-selectin. 509.
Gohon, L. *See* van Hengel, Gohon, Bruyneel, Vermeulen, Cornelissen, Mareel, and van Roy.
Goldfine, H. *See* Marquis, Goldfine, and Portnoy.
Gonzalez, C. *See* Saunders, do Carmo Avides, Howard, Gonzalez, and Glover.
Goodearl, A. *See* Vartanian, Goodearl, Viehöver, and Fischbach.
Gottshall, K.R. *See* Becker, Gottshall, Hickey, Perriard, and Chien.
Gough, N.R., and Fambrough, D.M. Different steady state subcellular distributions of the three splice variants of lysosome-associated membrane protein LAMP-2 are determined largely by the COOH-terminal amino acid residue. 1161.
Gould, K.L. *See* Berry and Gould.
Grabs, D. *See* Butler, David, Ochoa, Freyberg, Daniell, Grabs, Cremona, and De Camilli.
Graham, P.L., Johnson, J.J., Wang, S., Sibley, M.H., Gupta, M.C., and Kramer, J.M. Type IV collagen is detectable in most, but not all, basement membranes of *Caenorhabditis elegans* and assembles on tissues that do not express it. 1171.
— *See* Gupta, Graham, and Kramer.
Gralla, E.B. *See* Longo, Ellerby, Bredesen, Valentine, and Gralla.
Green, M.R. *See* Gama-Carvalho, Krauss, Chiang, Valcárcel, Green, and Carmo-Fonseca.
Greif, D.M. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
Griffiths, G. *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.
— *See* Scheel, Pepperkok, Lowe, Griffiths, and Kreis.
Grummt, I. *See* Falciola, Spada, Calogero, Längst, Voit, Grummt, and Bianchi.
Gschmeissner, S. *See* Whitehouse, Burchell, Gschmeissner, Brockhausen, Lloyd, and Taylor-Papadimitriou.
Guan, T. *See* Yang, Guan, and Gerace.
Gupta, M.C., Graham, P.L., and Kramer, J.M. Characterization of α1(IV) collagen mutations in *Caenorhabditis elegans* and the effects of α1 and α2(IV) mutations on type IV collagen distribution. 1185.
— *See* Graham, Johnson, Wang, Sibley, Gupta, and Kramer.

H

Haegeman, G. *See* Vandevoorde, Haegeman, and Fiers.
Hage, W. *See* van Delft, Schumacher, Hage, Verkleij, and van Bergen en Henegouwen.
Haldar, K. *See* Shima, Haldar, Pepperkok, Watson, and Warren.
Hall, A. *See* Braga, Machesky, Hall, and Hotchin.
Han, J.W., Park, J.H., Kim, M., and Lee, J. mRNAs for microtubule proteins are specifically colocalized during the sequential formation of basal body, flagella, and cytoskeletal microtubules in the differentiation of *Naegleria gruberi*. 871.
Hannah, M.J. *See* Schmidt, Hannah, and Huttner.
Harada, A. *See* Takei, Kondo, Harada, Inomata, Noda, and Hirokawa.
Harley, J.E. *See* Koval, Harley, Hick, and Steinberg.
Harrison, A. *See* Patel-King, Benashski, Harrison, and King.
Hart, M.J. *See* Bashour, Fullerton, Hart, and Bloom.
Hasebe, T. *See* Adachi, Takahashi, Hasebe, Shirouzu, Yokoyama, and Sutoh.
Hasson, T., Gillespie, P.G., Garcia, J.A., MacDonald, R.B., Zhao, Y.-d., Yee, A.G., Mooseker, M.S., and Corey, D.P. Unconventional myosins in inner-ear sensory epithelia. 1287.
Hauri, H.-P. *See* Salas, Rodriguez, Viciana, Vega-Salas, and Hauri.
Hayek, A. *See* Ptasznik, Beattie, Mally, Cirulli, Lopez, and Hayek.
Heagle, A.B. *See* McEwen, Heagle, Cassels, Buttle, and Rieder.
Heins, L. *See* Lübeck, Heins, and Soll.
Hemphill, A. *See* Ruepp, Furger, Kurath, Kunz Renggli, Hemphill, Brun, and Roditi.
Hermann, G.J., King, E.J., and Shaw, J.M. The yeast gene, *MDM20*, is necessary for mitochondrial inheritance and organization of the actin cytoskeleton. 141.
Herrlich, P. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Hick, E. *See* Koval, Harley, Hick, and Steinberg.
Hickey, R. *See* Becker, Gottshall, Hickey, Perriard, and Chien.
Hirokawa, N. *See* Takei, Kondo, Harada, Inomata, Noda, and Hirokawa.
Hirono, M. *See* Kato-Minoura, Hirono, and Kamiya.
Hodivala-Dilke, K.M. *See* DiPersio, Hodivala-Dilke, Jaenisch, Kreidberg, and Hynes.
Hoeffler, J.P. *See* Hungerford, Hoeffler, Bowers, Dahm, Falchetto, Shabanowitz, Hunt, and Little.

Hoekstra, D. *See* van IJzendoorn, Zegers, Kok, and Hoekstra.
Hoflack, B. *See* Le Borgne and Hoflack.
Hofmann, M. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Holkeri, H. *See* Saris, Holkeri, Craven, Stirling, and Makarow.
Hordijk, P.L. *See* Michiels, Stam, Hordijk, van der Kammen, Ruuls-Van Stalle, Feltkamp, and Collard.
Hornack, D. *See* Saunders, Hornack, Lengyel, and Deng.
Hotchin, N.A. *See* Braga, Machesky, Hall, and Hotchin.
Hoth, M., Fanger, C.M., and Lewis, R.S. Mitochondrial regulation of store-operated calcium signaling in T lymphocytes. 633.
Houssa, B. *See* Gebbink, Kranenburg, Poland, van Horck, Houssa, and Moolenaar.
Howard, T. *See* Saunders, do Carmo Avides, Howard, Gonzalez, and Glover.
Howells, N. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Howes, S. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
Hu, V.W. *See* Xie, Laird, Chang, and Hu.
Hua, X.H., Yan, H., and Newport, J. A role for Cdk2 kinase in negatively regulating DNA replication during S phase of the cell cycle. 183.
Huang, S., Deerinck, T.J., Ellisman, M.H., and Spector, D.L. The dynamic organization of the perinucleolar compartment in the cell nucleus. 965.
Huby, R.D.J., Iwashima, M., Weiss, A., and Ley, S.C. ZAP-70 protein tyrosine kinase is constitutively targeted to the T cell cortex independently of its SH2 domains. 1639.
Hughes, T.E. *See* Liu, Hughes, and Sessa.
Hungerford, J.E., Hoeffler, J.P., Bowers, C.W., Dahm, L.M., Falchetto, R., Shabanowitz, J., Hunt, D.F., and Little, C.D. Identification of a novel marker for primordial smooth muscle and its differential expression pattern in contractile vs noncontractile cells. 925.
Hunt, D.F. *See* Hungerford, Hoeffler, Bowers, Dahm, Falchetto, Shabanowitz, Hunt, and Little.
Huttner, W.B. *See* Schmidt, Hannah, and Huttner.
Hyman, A.A. *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.
Hynes, R.O. *See* DiPersio, Hodivala-Dilke, Jaenisch, Kreidberg, and Hynes.

I

Iaccarino, C. *See* Franco, Iaccarino, Chiaradonna, Brandazza, Iavarone, Mastronicola, Nolli, and Stoppelli.
Iavarone, C. *See* Franco, Iaccarino, Chiaradonna, Brandazza, Iavarone, Mastronicola, Nolli, and Stoppelli.
Ikeuchi, Y. *See* Kanaseki, Kawasaki, Murata, Ikeuchi, and Ohnishi.
Inaba, K. *See* Koutoulis, Pazour, Wilkerson, Inaba, Sheng, Takada, and Witman.
Inomata, S. *See* Takei, Kondo, Harada, Inomata, Noda, and Hirokawa.
Iovine, M.K., and Wente, S.R. A nuclear export signal in Kap95p is required for both recycling the import factor and interaction with the nucleoporin GLFG repeat regions of Nup116p and Nup100p. 797.
Ishikawa, H. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.
Isobe-Nakamura, M. *See* Bijlmakers, Isobe-Nakamura, Ruddock, and Marsh.
Itoh, K. *See* Nishiyama, Itoh, Kaneko, Kishishita, Yoshida, and Fujita.
Iwashima, M. *See* Huby, Iwashima, Weiss, and Ley.
Izaurralde, E., Jarmolowski, A., Beisel, C., Mattaj, I.W., Dreyfuss, G., and Fischer, U. A role for the M9 transport signal of hnRNP A1 in mRNA nuclear export. 27.

J

Jaenisch, R. *See* DiPersio, Hodivala-Dilke, Jaenisch, Kreidberg, and Hynes.
James, D.E. *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.
Jarmolowski, A. *See* Izaurralde, Jarmolowski, Beisel, Mattaj, Dreyfuss, and Fischer.
Jedd, G., Mulholland, J., and Segev, N. Two new Ypt GTPases are required for exit from the yeast *trans*-Golgi compartment. 563.
Jenkins, N.A. *See* Miner, Patton, Lentz, Gilbert, Snider, Jenkins, Copeland, and Sanes.
Jensen, R.E. *See* Lohret, Jensen, and Kinnally.
Johnson, J.J. *See* Graham, Johnson, Wang, Sibley, Gupta, and Kramer.

K

Kaiser, C.A. *See* Roberg, Rowley, and Kaiser.
Kamiya, R. *See* Kato-Minoura, Hirono, and Kamiya.
Kanaseki, T., Kawasaki, K., Murata, M., Ikeuchi, Y., and Ohnishi, S. Structural features of membrane fusion between influenza virus and liposome as revealed by quick-freezing electron microscopy. 1041.
Kaneko, Y. *See* Nishiyama, Itoh, Kaneko, Kishishita, Yoshida, and Fujita.
Kansas, G.S. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
— *See* Lawrence, Kansas, Kunkel, and Ley.
Kashiwagi, H., Schwartz, M.A., Eigenthaler, M., Davis, K.A., Ginsberg, M.H., and Shattil, S.J. Affinity modulation of platelet integrin $\alpha_{IIb}\beta_3$ by β_3-endonexin, a selective binding partner of the β_3 integrin cytoplasmic tail. 1433.
Kato-Minoura, T., Hirono, M., and Kamiya, R. *Chlamydomonas* inner-arm dynein mutant, *ida5*, has a mutation in an actin-encoding gene. 649.
Kawasaki, K. *See* Kanaseki, Kawasaki, Murata, Ikeuchi, and Ohnishi.
Kiefer, F. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Kim, J., Scott, S.V., Oda, M.N., and Klionsky, D.J. Transport of a large oligomeric protein by the cytoplasm to vacuole protein targeting pathway. 609.
— *See* Yu, Kim, and Ossowski.
Kim, M. *See* Han, Park, Kim, and Lee.
King, E.J. *See* Hermann, King, and Shaw.
King, S.M. *See* Patel-King, Benashski, Harrison, and King.
Kinnally, K.W. *See* Lohret, Jensen, and Kinnally.
Kirsch, T., Nah, H.-D., Shapiro, I.M., and Pacifici, M. Regulated production of mineralization-competent matrix vesicles in hypertrophic chondrocytes. 1149.
Kishishita, M. *See* Nishiyama, Itoh, Kaneko, Kishishita, Yoshida, and Fujita.
Kislauskis, E.H., Zhu, X.-c., and Singer, R.H. β-Actin messenger RNA localization and protein synthesis augment cell motility: Correction. 1459.
Kitayama, C., Sugimoto, A., and Yamamoto, M. Type II myosin heavy chain encoded by the *myo2* gene composes the contractile ring during cytokinesis in *Schizosaccharomyces pombe*. 1309.
Klemke, R.L., Cai, S., Giannini, A.L., Gallagher, P.J., de Lanerolle, P., and Cheresh, D.A. Regulation of cell motility by mitogen-activated protein kinase. 481.
Klionsky, D.J. *See* Kim, Scott, Oda, and Klionsky.
Klumperman, J. *See* Kuliawat, Klumperman, Ludwig, and Arvan.
Koch, P.J., Mahoney, M.G., Ishikawa, H., Pulkkinen, L., Uitto, J., Shultz, L., Murphy, G.F., Whitaker-Menezes, D., and Stanley, J.R. Targeted disruption of the pemphigus vulgaris antigen (desmoglein 3) gene in mice causes loss of keratinocyte cell adhesion with a phenotype similar to pemphigus vulgaris. 1091.
Köhler, G. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Kok, J.W. *See* van IJzendoorn, Zegers, Kok, and Hoekstra.
Komma, D.J. *See* Endow and Komma.
Kondo, S. *See* Takei, Kondo, Harada, Inomata, Noda, and Hirokawa.
Koutoulis, A., Pazour, G.J., Wilkerson, C.G., Inaba, K., Sheng, H., Takada, S., and Witman, G.B. The *Chlamydomonas reinhardtii ODA3* gene encodes a protein of the outer dynein arm docking complex. 1069.
Koval, M., Harley, J.E., Hick, E., and Steinberg, T.H. Connexin46 is retained as monomers in a *trans*-Golgi compartment of osteoblastic cells. 847.
Kraegen, E.W. *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.
Kramer, J.M. *See* Graham, Johnson, Wang, Sibley, Gupta, and Kramer.
— *See* Gupta, Graham, and Kramer.
Krammer, P.H. *See* Mariani, Matiba, Armandola, and Krammer.
Krane, S.M. *See* Pilcher, Dumin, Sudbeck, Krane, Welgus, and Parks.
Kranenburg, O. *See* Gebbink, Kranenburg, Poland, van Horck, Houssa, and Moolenaar.

Krauss, R.D. *See* Gama-Carvalho, Krauss, Chiang, Valcárcel, Green, and Carmo-Fonseca.
Krauss, S.W., Larabell, C.A., Lockett, S., Gascard, P., Penman, S., Mohandas, N., and Chasis, J.A. Structural protein 4.1 in the nucleus of human cells: Dynamic rearrangements during cell division. 275.
Kreidberg, J.A. *See* DiPersio, Hodivala-Dilke, Jaenisch, Kreidberg, and Hynes.
Kreis, T.E. *See* Scheel, Pepperkok, Lowe, Griffiths, and Kreis.
Kuliawat, R., Klumperman, J., Ludwig, T., and Arvan, P. Differential sorting of lysosomal enzymes out of the regulated secretory pathway in pancreatic β-cells. 595.
Kunkel, E.J. *See* Lawrence, Kansas, Kunkel, and Ley.
Kunz Renggli, C. *See* Ruepp, Furger, Kurath, Kunz Renggli, Hemphill, Brun, and Roditi.
Kurath, U. *See* Ruepp, Furger, Kurath, Kunz Renggli, Hemphill, Brun, and Roditi.

L

Laird, D.W. *See* Xie, Laird, Chang, and Hu.
Längst, G. *See* Falciola, Spada, Calogero, Längst, Voit, Grummt, and Bianchi.
Larabell, C.A. *See* Krauss, Larabell, Lockett, Gascard, Penman, Mohandas, and Chasis.
— *See* Weaver, Petersen, Wang, Larabell, Briand, Damsky, and Bissell.
Lawrence, M.B., Kansas, G.S., Kunkel, E.J., and Ley, K. Threshold levels of fluid shear promote leukocyte adhesion through selectins (CD62L,P,E): Correction. 261.
Laybutt, R. *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.
Le Borgne, R., and Hoflack, B. Mannose 6-phosphate receptors regulate the formation of clathrin-coated vesicles in the TGN. 335.
Lee, J. *See* Han, Park, Kim, and Lee.
Lengyel, V. *See* Saunders, Hornack, Lengyel, and Deng.
Lentz, S.L. *See* Miner, Patton, Lentz, Gilbert, Snider, Jenkins, Copeland, and Sanes.
Lenz-Böhme, B., Wismar, J., Fuchs, S., Reifegerste, R., Buchner, E., Betz, H., and Schmitt, B. Insertional mutation of the *Drosophila* nuclear lamin Dm_0 gene results in defective nuclear envelopes, clustering of nuclear pore complexes, and accumulation of annulate lamellae. 1001.
Lewis, R.S. *See* Hoth, Fanger, and Lewis.
Ley, K. *See* Lawrence, Kansas, Kunkel, and Ley.
Ley, S.C. *See* Huby, Iwashima, Weiss, and Ley.
Little, C.D. *See* Hungerford, Hoeffler, Bowers, Dahm, Falchetto, Shabanowitz, Hunt, and Little.
Littleton, J.T., Bhat, M.A., and Bellen, H.J. Deciphering the function of neurexins at cellular junctions. 793.
Liu, J., Hughes, T.E., and Sessa, W.C. The first 35 amino acids and fatty acylation sites determine the molecular targeting of endothelial nitric oxide synthase into the Golgi region of cells: A green fluorescent protein study. 1525.
— *See* Yang, Liu, and DeFranco.
Lloyd, K.O. *See* Whitehouse, Burchell, Gschmeissner, Brockhausen, Lloyd, and Taylor-Papadimitriou.
Lockett, S. *See* Krauss, Larabell, Lockett, Gascard, Penman, Mohandas, and Chasis.
Lohret, T.A., Jensen, R.E., and Kinnally, K.W. Tim23, a protein import component of the mitochondrial inner membrane, is required for normal activity of the multiple conductance channel, MCC. 377.
Longo, V.D., Ellerby, L.M., Bredesen, D.E., Valentine, J.S., and Gralla, E.B. Human Bcl-2 reverses survival defects in yeast lacking superoxide dismutase and delays death of wild-type yeast. **135:** 1581
Lopez, A. *See* Ptasznik, Beattie, Mally, Cirulli, Lopez, and Hayek.
Lowe, M. *See* Scheel, Pepperkok, Lowe, Griffiths, and Kreis.
Lübeck, J., Heins, L., and Soll, J. A nuclear-coded chloroplastic inner envelope membrane protein uses a soluble sorting intermediate upon import into the organelle. 1279.
Lucas, R. *See* Magez, Geuskens, Beschin, del Favero, Verschueren, Lucas, Pays, and de Baetselier.
Ludwig, T. *See* Kuliawat, Klumperman, Ludwig, and Arvan.
Luscinskas, F.W. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
Lutz, Y. *See* Okada, Tomasetto, Lutz, Bellocq, Rio, and Basset.

M

Ma, L. *See* Geng, Raub, Baker, Sawada, Ma, and Elhammer.
MacDonald, R.B. *See* Hasson, Gillespie, Garcia, MacDonald, Zhao, Yee, Mooseker, and Corey.
MacFarlane, M., Cain, K., Sun, X.-M., Alnemri, E.S., and Cohen, G.M. Processing/activation of at least four interleukin-1β converting enzyme–like proteases occurs during the execution phase of apoptosis in human monocytic tumor cells. 469.
Machesky, L.M. *See* Braga, Machesky, Hall, and Hotchin.
Macklin, W. *See* Trapp, Nishiyama, Cheng, and Macklin.
Magez, S., Geuskens, M., Beschin, A., del Favero, H., Verschueren, H., Lucas, R., Pays, E., and de Baetselier, P. Specific uptake of tumor necrosis factor-α is involved in growth control of *Trypanosoma brucei.* 715.
Mahoney, M.G. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.
Maione, R. *See* Anastasi, Giordano, Sthandier, Gambarotta, Maione, Comoglio, and Amati.
Makarow, M. *See* Saris, Holkeri, Craven, Stirling, and Makarow.
Mally, M.I. *See* Ptasznik, Beattie, Mally, Cirulli, Lopez, and Hayek.
Mannherz, H.G. *See* Rauch, Polzar, Stephan, Zanotti, Paddenberg, and Mannherz.
Marcusson, E.G. *See* Seaman, Marcusson, Cereghino, and Emr.
Mareel, M. *See* van Hengel, Gohon, Bruyneel, Vermeulen, Cornelissen, Mareel, and van Roy.
Mariani, S.M., Matiba, B., Armandola, E.A., and Krammer, P.H. Interleukin 1β-converting enzyme related proteases/caspases are involved in TRAIL-induced apoptosis of myeloma and leukemia cells. 221.
Marquis, H., Goldfine, H., and Portnoy, D.A. Proteolytic pathways of activation and degradation of a bacterial phospholipase C during intracellular infection by *Listeria monocytogenes.* 1381.
Marsh, M. *See* Bijlmakers, Isobe-Nakamura, Ruddock, and Marsh.
Marshall, W.F. *See* Bass, Marshall, Sedat, Agard, and Cande.
Martin, S. *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.
Mastronicola, M.R. *See* Franco, Iaccarino, Chiaradonna, Brandazza, Iavarone, Mastronicola, Nolli, and Stoppelli.
Mataic, D. *See* Bassnett and Mataic.
Matiba, B. *See* Mariani, Matiba, Armandola, and Krammer.
Mattaj, I.W. *See* Izaurralde, Jarmolowski, Beisel, Mattaj, Dreyfuss, and Fischer.
Matteson, J. *See* Tisdale, Plutner, Matteson, and Balch.
McDonald, H.B., and Byers, B. A proteasome cap subunit required for spindle pole body duplication in yeast. 539.
McEwen, B.F., Heagle, A.B., Cassels, G.O., Buttle, K.F., and Rieder, C.L. Kinetochore fiber maturation in PtK_1 cells and its implications for the mechanisms of chromosome congression and anaphase onset. 1567.
McNeil, P.L., and Steinhardt, R.A. Loss, restoration, and maintenance of plasma membrane integrity. 1.
Mellman, I. *See* Brachet, Raposo, Amigorena, and Mellman.
Meyer, A.N. *See* Chen, Webster, Meyer, and Donoghue.
Michiels, F., Stam, J.C., Hordijk, P.L., van der Kammen, R.A., Ruuls-Van Stalle, L., Feltkamp, C.A., and Collard, J.G. Regulated membrane localization of Tiam1, mediated by the NH_2-terminal pleckstrin homology domain, is required for Rac-dependent membrane ruffling and c-Jun NH_2-terminal kinase activation. 387.
Miner, J.H., Patton, B.L., Lentz, S.L., Gilbert, D.J., Snider, W.D., Jenkins, N.A., Copeland, N.G., and Sanes, J.R. The laminin α chains: Expression, developmental transitions, and chromosomal locations of α1-5, identification of heterotrimeric laminins 8–11, and cloning of a novel α3 isoform. 685.
Mohandas, N. *See* Krauss, Larabell, Lockett, Gascard, Penman, Mohandas, and Chasis.
Möhle-Steinlein, U. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Monier-Gavelle, F., and Duband, J.-L. Cross talk between adhesion molecules: Control of N-cadherin activity by intracellular signals elicited by β1 and β3 integrins in migrating neural crest cells. 1663.
Montesano, R. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Montoya, M.C. *See* del Pozo, Cabañas, Montoya, Ager, Sánchez-Mateos, and Sánchez-Madrid.
Moolenaar, W.H. *See* Gebbink, Kranenburg, Poland, van Horck, Houssa, and Moolenaar.

Mooseker, M.S. *See* Hasson, Gillespie, Garcia, MacDonald, Zhao, Yee, Mooseker, and Corey.
Mostov, K.E. *See* Pollack, Barth, Altschuler, Nelson, and Mostov.
Muchardt, C. *See* Reyes, Muchardt, and Yaniv.
Mulholland, J. *See* Jedd, Mulholland, and Segev.
Murata, M. *See* Kanaseki, Kawasaki, Murata, Ikeuchi, and Ohnishi.
Murphy, G.F. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.
Mustelin, T. *See* Farschon, Couture, Mustelin, and Newmeyer.
Myles, D.G. *See* Yuan, Primakoff, and Myles.

N

Nah, H.-D. *See* Kirsch, Nah, Shapiro, and Pacifici.
Nelson, W.J. *See* Pollack, Barth, Altschuler, Nelson, and Mostov.
Newmeyer, D.D. *See* Farschon, Couture, Mustelin, and Newmeyer.
Newport, J. *See* Hua, Yan, and Newport.
Nishiyama, A. *See* Trapp, Nishiyama, Cheng, and Macklin.
Nishiyama, H., Itoh, K., Kaneko, Y., Kishishita, M., Yoshida, O., and Fujita, J. A glycine-rich RNA-binding protein mediating cold-inducible suppression of mammalian cell growth. 899.
Noda, T. *See* Takei, Kondo, Harada, Inomata, Noda, and Hirokawa.
Nolli, M.L. *See* Franco, Iaccarino, Chiaradonna, Brandazza, Iavarone, Mastronicola, Nolli, and Stoppelli.
Nothwehr, S.F. *See* Fischer von Mollard, Nothwehr, and Stevens.
Novick, P.J. *See* Walch-Solimena, Collins, and Novick.
Nurse, P. *See* Chang, Drubin, and Nurse.

O

Ochoa, G.-C. *See* Butler, David, Ochoa, Freyberg, Daniell, Grabs, Cremona, and De Camilli.
Oda, M.N. *See* Kim, Scott, Oda, and Klionsky.
Odorizzi, G., and Trowbridge, I.S. Structural requirements for basolateral sorting of the human transferrin receptor in the biosynthetic and endocytic pathways of Madin-Darby canine kidney cells. 1255.
Ohnishi, S. *See* Kanaseki, Kawasaki, Murata, Ikeuchi, and Ohnishi.
Okada, A., Tomasetto, C., Lutz, Y., Bellocq, J.-P., Rio, M.-C., and Basset, P. Expression of matrix metalloproteinases during rat skin wound healing: Evidence that membrane type-1 matrix metalloproteinase is a stromal activator of pro-gelatinase A. 67.
Olivo, J.-C. *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.
Oorschot, V. *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.
Orci, L. *See* Paek, Orci, Ravazzola, Erdjument-Bromage, Amherdt, Tempst, Söllner, and Rothman.
Ortego, J. *See* Rodríguez, Webster, Ortego, and Andrews.
Ossowski, L. *See* Yu, Kim, and Ossowski.

P

Pacifici, M. *See* Kirsch, Nah, Shapiro, and Pacifici.
Paddenberg, R. *See* Rauch, Polzar, Stephan, Zanotti, Paddenberg, and Mannherz.
Paek, I., Orci, L., Ravazzola, M., Erdjument-Bromage, H., Amherdt, M., Tempst, P., Söllner, T.H., and Rothman, J.E. ERS-24, a mammalian v-SNARE implicated in vesicle traffic between the ER and the Golgi. 1017.
Palazzo, R.E. *See* Vogel, Stearns, Rieder, and Palazzo.
Park, J.H. *See* Han, Park, Kim, and Lee.
Parks, W.C. *See* Pilcher, Dumin, Sudbeck, Krane, Welgus, and Parks.
Patel-King, R.S., Benashski, S.E., Harrison, A., and King, S.M. A *Chlamydomonas* homologue of the putative murine *t* complex distorter Tctex-2 is an outer arm dynein light chain. 1081.
Patton, B.L. *See* Miner, Patton, Lentz, Gilbert, Snider, Jenkins, Copeland, and Sanes.
Pays, E. *See* Magez, Geuskens, Beschin, del Favero, Verschueren, Lucas, Pays, and de Baetselier.
Pazour, G.J. *See* Koutoulis, Pazour, Wilkerson, Inaba, Sheng, Takada, and Witman.
Peden, A.A. *See* Simpson, Peden, Christopoulou, and Robinson.
Penman, S. *See* Krauss, Larabell, Lockett, Gascard, Penman, Mohandas, and Chasis.
Penn, L.Z. *See* Screaton, Penn, and Stanners.
Pepper, M.S. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Pepperkok, R. *See* Scheel, Pepperkok, Lowe, Griffiths, and Kreis.
— *See* Shima, Haldar, Pepperkok, Watson, and Warren.
Perriard, J.-C. *See* Becker, Gottshall, Hickey, Perriard, and Chien.
Petersen, O.W. *See* Weaver, Petersen, Wang, Larabell, Briand, Damsky, and Bissell.
Pilcher, B.K., Dumin, J.A., Sudbeck, B.D., Krane, S.M., Welgus, H.G., and Parks, W.C. The activity of collagenase-1 is required for keratinocyte migration on a type I collagen matrix. 1445.
Ploegh, H.L. *See* Rehm and Ploegh.
Plutner, H. *See* Tisdale, Plutner, Matteson, and Balch.
Pokala, N. *See* Ayscough, Stryker, Pokala, Sanders, Crews, and Drubin.
Poland, M. *See* Gebbink, Kranenburg, Poland, van Horck, Houssa, and Moolenaar.
Pollack, A.L., Barth, A.I.M., Altschuler, Y., Nelson, W.J., and Mostov, K.E. Dynamics of β-catenin interactions with APC protein regulate epithelial tubulogenesis. 1651.
Polzar, B. *See* Rauch, Polzar, Stephan, Zanotti, Paddenberg, and Mannherz.
Ponta, H. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Portnoy, D.A. *See* Marquis, Goldfine, and Portnoy.
Posthuma, G. *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.
Prekeris, R., and Terrian, D.M. Brain myosin V is a synaptic vesicle-associated motor protein: Evidence for a Ca^{2+}-dependent interaction with the synaptobrevin–synaptophysin complex. 1589.
Primakoff, P. *See* Yuan, Primakoff, and Myles.
Protasi, F., Franzini-Armstrong, C., and Flucher, B.E. Coordinated incorporation of skeletal muscle dihydropyridine receptors and ryanodine receptors in peripheral couplings of BC_3H1 cells. 859.
Ptasznik, A., Beattie, G.M., Mally, M.I., Cirulli, V., Lopez, A., and Hayek, A. Phosphatidylinositol 3-kinase is a negative regulator of cellular differentiation. 1127.
Pulkkinen, L. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.

R

Rachubinski, R.A. *See* Eitzen, Szilard, and Rachubinski.
Raposo, G. *See* Brachet, Raposo, Amigorena, and Mellman.
Raub, T.J. *See* Geng, Raub, Baker, Sawada, Ma, and Elhammer.
Rauch, F., Polzar, B., Stephan, H., Zanotti, S., Paddenberg, R., and Mannherz, H.G. Androgen ablation leads to an upregulation and intranuclear accumulation of deoxyribonuclease I in rat prostate epithelial cells paralleling their apoptotic elimination. 909.
Ravazzola, M. *See* Paek, Orci, Ravazzola, Erdjument-Bromage, Amherdt, Tempst, Söllner, and Rothman.
Rehm, A., and Ploegh, H.L. Assembly and intracellular targeting of the βγ subunits of heterotrimeric G proteins. 305.
Reifegerste, R. *See* Lenz-Böhme, Wismar, Fuchs, Reifegerste, Buchner, Betz, and Schmitt.
Ren, Q. *See* Garver, Ren, Tuvia, and Bennett.
Renkl, A.C. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Reyes, J.C., Muchardt, C., and Yaniv, M. Components of the human SWI/SNF complex are enriched in active chromatin and are associated with the nuclear matrix. 263.
Rieder, C.L. *See* McEwen, Heagle, Cassels, Buttle, and Rieder.
— *See* Vogel, Stearns, Rieder, and Palazzo.
Rio, M.-C. *See* Okada, Tomasetto, Lutz, Bellocq, Rio, and Basset.
Risau, W. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Roberg, K.J., Rowley, N., and Kaiser, C.A. Physiological regulation of membrane protein sorting late in the secretory pathway of *Saccharomyces cerevisiae*. 1469.
Robinson, M.S. *See* Simpson, Peden, Christopoulou, and Robinson.
Roditi, I. *See* Ruepp, Furger, Kurath, Kunz Renggli, Hemphill, Brun, and Roditi.
Rodríguez, A., Webster, P., Ortego, J., and Andrews, N.W. Lysosomes behave as Ca^{2+}-regulated exocytic vesicles in fibroblasts and epithelial cells. 93.

Rodriguez, M.L. *See* Salas, Rodriguez, Viciana, Vega-Salas, and Hauri.
Ross, F.P. *See* Abu-Amer, Ross, Schlesinger, Tondravi, and Teitelbaum.
Rothman, J.E. *See* Paek, Orci, Ravazzola, Erdjument-Bromage, Amherdt, Tempst, Söllner, and Rothman.
Rowley, N. *See* Roberg, Rowley, and Kaiser.
Ruddock, L.J. *See* Bijlmakers, Isobe-Nakamura, Ruddock, and Marsh.
Ruegg, M.A. *See* Denzer, Brandenberger, Gesemann, Chiquet, and Ruegg.
Ruepp, S., Furger, A., Kurath, U., Kunz Renggli, C., Hemphill, A., Brun, R., and Roditi, I. Survival of *Trypanosoma brucei* in the tsetse fly is enhanced by the expression of specific forms of procyclin. 1369.
Ruuls-Van Stalle, L. *See* Michiels, Stam, Hordijk, van der Kammen, Ruuls-Van Stalle, Feltkamp, and Collard.

S

Sabapathy, K.T., Pepper, M.S., Kiefer, F., Möhle-Steinlein, U., Tacchini-Cottier, F., Fetka, I., Breier, G., Risau, W., Carmeliet, P., Montesano, R., and Wagner, E.F. Polyoma middle T-induced vascular tumor formation: The role of the plasminogen activator/plasmin system. 953.
Saitou, M. *See* Sakakibara, Furuse, Saitou, Ando-Akatsuka, and Tsukita.
Sakakibara, A., Furuse, M., Saitou, M., Ando-Akatsuka, Y., and Tsukita, S. Possible involvement of phosphorylation of occludin in tight junction formation. 1393.
Salas, P.J.I., Rodriguez, M.L., Viciana, A.L., Vega-Salas, D.E., and Hauri, H.-P. The apical submembrane cytoskeleton participates in the organization of the apical pole in epithelial cells. 359.
Sánchez-Madrid, F. *See* del Pozo, Cabañas, Montoya, Ager, Sánchez-Mateos, and Sánchez-Madrid.
Sánchez-Mateos, P. *See* del Pozo, Cabañas, Montoya, Ager, Sánchez-Mateos, and Sánchez-Madrid.
Sanders, M. *See* Ayscough, Stryker, Pokala, Sanders, Crews, and Drubin.
Sanes, J.R. *See* Miner, Patton, Lentz, Gilbert, Snider, Jenkins, Copeland, and Sanes.
Saris, N., Holkeri, H., Craven, R.A., Stirling, C.J., and Makarow, M. The Hsp70 homologue Lhs1p is involved in a novel function of the yeast endoplasmic reticulum, refolding and stabilization of heat-denatured protein aggregates. 813.
Saumweber, H. *See* Buchenau, Saumweber, and Arndt-Jovin.
Saunders, R.D.C., do Carmo Avides, M., Howard, T., Gonzalez, C., and Glover, D.M. The *Drosophila* gene *abnormal spindle* encodes a novel microtubule-associated protein that associates with the polar regions of the mitotic spindle. 881.
Saunders, W., Hornack, D., Lengyel, V., and Deng, C. The *Saccharomyces cerevisiae* kinesin-related motor Kar3p acts at preanaphase spindle poles to limit the number and length of cytoplasmic microtubules. 417.
Savagner, P., Yamada, K.M., and Thiery, J.P. The zinc-finger protein slug causes desmosome dissociation, an initial and necessary step for growth factor–induced epithelial–mesenchymal transition. 1403.
Sawada, G.A. *See* Geng, Raub, Baker, Sawada, Ma, and Elhammer.
Scalettar, B.A. *See* Abney, Cutler, Fillbach, Axelrod, and Scalettar.
Scheel, J., Pepperkok, R., Lowe, M., Griffiths, G., and Kreis, T.E. Dissociation of coatomer from membranes is required for brefeldin A–induced transfer of Golgi enzymes to the endoplasmic reticulum. 319.
Schekman, R. *See* Corsi and Schekman.
Schlesinger, P. *See* Abu-Amer, Ross, Schlesinger, Tondravi, and Teitelbaum.
Schmidt, A., Hannah, M.J., and Huttner, W.B. Synaptic-like microvesicles of neuroendocrine cells originate from a novel compartment that is continuous with the plasma membrane and devoid of transferrin receptor. 445. Correction. 1197.
Schmitt, B. *See* Lenz-Böhme, Wismar, Fuchs, Reifegerste, Buchner, Betz, and Schmitt.
Schöpf, E. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Schroer, T.A. *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.
Schumacher, C. *See* van Delft, Schumacher, Hage, Verkleij, and van Bergen en Henegouwen.
Schwartz, M.A. *See* Kashiwagi, Schwartz, Eigenthaler, Davis, Ginsberg, and Shattil.
Scott, S.V. *See* Kim, Scott, Oda, and Klionsky.
Screaton, R.A., Penn, L.Z., and Stanners, C.P. Carcinoembryonic antigen, a human tumor marker, cooperates with Myc and Bcl-2 in cellular transformation. 939.
Seaman, M.N.J., Marcusson, E.G., Cereghino, J.L., and Emr, S.D. Endosome to Golgi retrieval of the vacuolar protein sorting receptor, Vsp10p, requires the function of the *VPS29*, *VPS30*, and *VPS35* gene products. 79.
Sechi, A.S., Wehland, J., and Small, J.V. The isolated comet tail pseudopodium of *Listeria monocytogenes*: A tail of two actin filament populations, long and axial and short and random. 155.
Sedat, J.W. *See* Bass, Marshall, Sedat, Agard, and Cande.
Segev, N. *See* Jedd, Mulholland, and Segev.
Sessa, W.C. *See* Liu, Hughes, and Sessa.
Severin, F.F. *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.
Shabanowitz, J. *See* Hungerford, Hoeffler, Bowers, Dahm, Falchetto, Shabanowitz, Hunt, and Little.
Shapiro, I.M. *See* Kirsch, Nah, Shapiro, and Pacifici.
Shattil, S.J. *See* Kashiwagi, Schwartz, Eigenthaler, Davis, Ginsberg, and Shattil.
Shaw, J.M. *See* Hermann, King, and Shaw.
Sheng, H. *See* Koutoulis, Pazour, Wilkerson, Inaba, Sheng, Takada, and Witman.
Shima, D.T., Haldar, K., Pepperkok, R., Watson, R., and Warren, G. Partitioning of the Golgi apparatus during mitosis in living HeLa cells. 1211.
Shirouzu, M. *See* Adachi, Takahashi, Hasebe, Shirouzu, Yokoyama, and Sutoh.
Shultz, L. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.
Sibley, M.H. *See* Graham, Johnson, Wang, Sibley, Gupta, and Kramer.
Simon, J.C. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Simpson, F., Peden, A.A., Christopoulou, L., and Robinson, M.S. Characterization of the adaptor-related protein complex, AP-3. 835.
Singer, R.H. *See* Kislauskis, Zhu, and Singer.
Sleeman, J. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Slot, J.W., Garruti, G., Martin, S., Oorschot, V., Posthuma, G., Kraegen, E.W., Laybutt, R., Thibault, G., and James, D.E. Glucose transporter (GLUT-4) is targeted to secretory granules in rat atrial cardiomyocytes. 1243.
Small, J.V. *See* Sechi, Wehland, and Small.
Snapp, K.R. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
Snell, W.J. *See* Wilson, Foglesong, and Snell.
Snider, W.D. *See* Miner, Patton, Lentz, Gilbert, Snider, Jenkins, Copeland, and Sanes.
Soll, J. *See* Lübeck, Heins, and Soll.
Söllner, T.H. *See* Paek, Orci, Ravazzola, Erdjument-Bromage, Amherdt, Tempst, Söllner, and Rothman.
Spada, F. *See* Falciola, Spada, Calogero, Längst, Voit, Grummt, and Bianchi.
Spector, D.L. *See* Huang, Deerinck, Ellisman, and Spector.
Spiess, M. *See* Wahlberg and Spiess.
Springer, T.A. *See* Clark, Erickson, and Springer.
Stam, J.C. *See* Michiels, Stam, Hordijk, van der Kammen, Ruuls-Van Stalle, Feltkamp, and Collard.
Stanley, J.R. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.
Stanners, C.P. *See* Screaton, Penn, and Stanners.
Stearns, T. *See* Vogel, Stearns, Rieder, and Palazzo.
Steinberg, T.H. *See* Koval, Harley, Hick, and Steinberg.
Steinhardt, R.A. *See* McNeil and Steinhardt.
Stephan, H. *See* Rauch, Polzar, Stephan, Zanotti, Paddenberg, and Mannherz.
Stevens, T.H. *See* Fischer von Mollard, Nothwehr, and Stevens.
Sthandier, O. *See* Anastasi, Giordano, Sthandier, Gambarotta, Maione, Comoglio, and Amati.
Stirling, C.J. *See* Saris, Holkeri, Craven, Stirling, and Makarow.
Stoppelli, M.P. *See* Franco, Iaccarino, Chiaradonna, Brandazza, Iavarone, Mastronicola, Nolli, and Stoppelli.
Stryker, J. *See* Ayscough, Stryker, Pokala, Sanders, Crews, and Drubin.
Sudbeck, B.D. *See* Pilcher, Dumin, Sudbeck, Krane, Welgus, and Parks.

Sugimoto, A. *See* Kitayama, Sugimoto, and Yamamoto.
Sun, X.-M. *See* MacFarlane, Cain, Sun, Alnemri, and Cohen.
Sutoh, K. *See* Adachi, Takahashi, Hasebe, Shirouzu, Yokoyama, and Sutoh.
Szilard, R.K. *See* Eitzen, Szilard, and Rachubinski.

T

Tacchini-Cottier, F. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Takada, S. *See* Koutoulis, Pazour, Wilkerson, Inaba, Sheng, Takada, and Witman.
Takahashi, Y. *See* Adachi, Takahashi, Hasebe, Shirouzu, Yokoyama, and Sutoh.
Takei, Y., Kondo, S., Harada, A., Inomata, S., Noda, T., and Hirokawa, N. Delayed development of nervous system in mice homozygous for disrupted microtubule-associated protein 1B (MAP1B) gene. 1615.
Taxis, S. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Taylor-Papadimitriou, J. *See* Whitehouse, Burchell, Gschmeissner, Brockhausen, Lloyd, and Taylor-Papadimitriou.
Teitelbaum, S.L. *See* Abu-Amer, Ross, Schlesinger, Tondravi, and Teitelbaum.
Tempst, P. *See* Paek, Orci, Ravazzola, Erdjument-Bromage, Amherdt, Tempst, Söllner, and Rothman.
Terlecky, S.R. *See* Agarraberes, Terlecky, and Dice.
Termeer, C.C. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Terrian, D.M. *See* Prekeris and Terrian.
Thibault, G. *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.
Thiery, J.P. *See* Savagner, Yamada, and Thiery.
Tisdale, E.J., Plutner, H., Matteson, J., and Balch, W.E. p53/58 binds COPI and is required for selective transport through the early secretory pathway. 581.
Tomasetto, C. *See* Okada, Tomasetto, Lutz, Bellocq, Rio, and Basset.
Tondravi, M.M. *See* Abu-Amer, Ross, Schlesinger, Tondravi, and Teitelbaum.
Trapp, B.D., Nishiyama, A., Cheng, D., and Macklin, W. Differentiation and death of premyelinating oligodendrocytes in developing rodent brain. 459.
Trowbridge, I.S. *See* Odorizzi and Trowbridge.
Tsukita, S. *See* Sakakibara, Furuse, Saitou, Ando-Akatsuka, and Tsukita.
Tuvia, S. *See* Garver, Ren, Tuvia, and Bennett.

U

Uitto, J. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.

V

Valcárcel, J. *See* Gama-Carvalho, Krauss, Chiang, Valcárcel, Green, and Carmo-Fonseca.
Valentine, J.S. *See* Longo, Ellerby, Bredesen, Valentine, and Gralla.
van Bergen en Henegouwen, P.M.P. *See* van Delft, Schumacher, Hage, Verkleij, and van Bergen en Henegouwen.
van Delft, S., Schumacher, C., Hage, W., Verkleij, A.J., and van Bergen en Henegouwen, P.M.P. Association and colocalization of Eps15 with adaptor protein-2 and clathrin: Correction. 259.
van der Kammen, R.A. *See* Michiels, Stam, Hordijk, van der Kammen, Ruuls-Van Stalle, Feltkamp, and Collard.
Vandevoorde, V., Haegeman, G., and Fiers, W. Induced expression of trimerized intracellular domains of the human tumor necrosis factor (TNF) p55 receptor elicits TNF effects. 1627.
van Hengel, J., Gohon, L., Bruyneel, E., Vermeulen, S., Cornelissen, M., Mareel, M., and van Roy, F. Protein kinase C activation upregulates intercellular adhesion of α-catenin–negative human colon cancer cell variants via induction of desmosomes. 1103.
van Horck, F.P.G. *See* Gebbink, Kranenburg, Poland, van Horck, Houssa, and Moolenaar.
van IJzendoorn, S.C.D., Zegers, M.M.P., Kok, J.W., and Hoekstra, D. Segregation of glucosylceramide and sphingomyelin occurs in the apical to basolateral transcytotic route in HepG2 cells. 347.
van Roy, F. *See* van Hengel, Gohon, Bruyneel, Vermeulen, Cornelissen, Mareel, and van Roy.
Vartanian, T., Goodearl, A., Viehöver, A., and Fischbach, G. Axonal neuregulin signals cells of the oligodendrocyte lineage through activation of HER4 and Schwann cells through HER2 and HER3. 211.
Vega-Salas, D.E. *See* Salas, Rodriguez, Viciana, Vega-Salas, and Hauri.
Verkleij, A.J. *See* van Delft, Schumacher, Hage, Verkleij, and van Bergen en Henegouwen.
Vermeulen, S. *See* van Hengel, Gohon, Bruyneel, Vermeulen, Cornelissen, Mareel, and van Roy.
Verschueren, H. *See* Magez, Geuskens, Beschin, del Favero, Verschueren, Lucas, Pays, and de Baetselier.
Viciana, A.L. *See* Salas, Rodriguez, Viciana, Vega-Salas, and Hauri.
Viehöver, A. *See* Vartanian, Goodearl, Viehöver, and Fischbach.
Vogel, J.M., Stearns, T., Rieder, C.L., and Palazzo, R.E. Centrosomes isolated from *Spisula solidissima* oocytes contain rings and an unusual stoichiometric ratio of α/β tubulin. 193.
Voit, R. *See* Falciola, Spada, Calogero, Längst, Voit, Grummt, and Bianchi.

W

Wagner, E.F. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Wahlberg, J.M., and Spiess, M. Multiple determinants direct the orientation of signal–anchor proteins: The topogenic role of the hydrophobic signal domain. 555.
Walch-Solimena, C., Collins, R.N., and Novick, P.J. Sec2p mediates nucleotide exchange on Sec4p and is involved in polarized delivery of post-Golgi vesicles. 1495.
Wang, F. *See* Weaver, Petersen, Wang, Larabell, Briand, Damsky, and Bissell.
Wang, S. *See* Graham, Johnson, Wang, Sibley, Gupta, and Kramer.
Wang, X.M., Zhai, Y., and Ferrell, J.E., Jr. A role for mitogen-activated protein kinase in the spindle assembly checkpoint in XTC cells. 433.
Warren, G. *See* Shima, Haldar, Pepperkok, Watson, and Warren.
Watson, R. *See* Shima, Haldar, Pepperkok, Watson, and Warren.
Weaver, V.M., Petersen, O.W., Wang, F., Larabell, C.A., Briand, P., Damsky, C., and Bissell, M.J. Reversion of the malignant phenotype of human breast cells in three-dimensional culture and in vivo by integrin blocking antibodies. 231.
Webster, M.K. *See* Chen, Webster, Meyer, and Donoghue.
Webster, P. *See* Rodríguez, Webster, Ortego, and Andrews.
Wehland, J. *See* Sechi, Wehland, and Small.
Weiss, A. *See* Huby, Iwashima, Weiss, and Ley.
Weiss, J.M., Sleeman, J., Renkl, A.C., Dittmar, H., Termeer, C.C., Taxis, S., Howells, N., Hofmann, M., Köhler, G., Schöpf, E., Ponta, H., Herrlich, P., and Simon, J.C. An essential role for CD44 variant isoforms in epidermal Langerhans cell and blood dendritic cell function. 1137.
Welgus, H.G. *See* Pilcher, Dumin, Sudbeck, Krane, Welgus, and Parks.
Wente, S.R. *See* Iovine and Wente.
Whitaker-Menezes, D. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.
Whitehouse, C., Burchell, J., Gschmeissner, S., Brockhausen, I., Lloyd, K.O., and Taylor-Papadimitriou, J. A transfected sialyltransferase that is elevated in breast cancer and localizes to the medial/*trans*-Golgi apparatus inhibits the development of core-2–based O-glycans. 1229.
Wilkerson, C.G. *See* Koutoulis, Pazour, Wilkerson, Inaba, Sheng, Takada, and Witman.
Wilson, N.F., Foglesong, M.J., and Snell, W.J. The *Chlamydomonas* mating type plus fertilization tubule, a prototypic cell fusion organelle: Isolation, characterization, and in vitro adhesion to mating type minus gametes. 1537.
Wismar, J. *See* Lenz-Böhme, Wismar, Fuchs, Reifegerste, Buchner, Betz, and Schmitt.

Witman, G.B. *See* Koutoulis, Pazour, Wilkerson, Inaba, Sheng, Takada, and Witman.

X

Xie, H.-q., Laird, D.W., Chang, T.-H., and Hu, V.W. A mitosis-specific phosphorylation of the gap junction protein connexin43 in human vascular cells: Biochemical characterization and localization. 203.

Y

Yamada, K.M. *See* Savagner, Yamada, and Thiery.
Yamamoto, M. *See* Kitayama, Sugimoto, and Yamamoto.
Yan, H. *See* Hua, Yan, and Newport.
Yang, J., Liu, J., and DeFranco, D.B. Subnuclear trafficking of glucocorticoid receptors in vitro: Chromatin recycling and nuclear export. 523.
Yang, L., Guan, T., and Gerace, L. Integral membrane proteins of the nuclear envelope are dispersed throughout the endoplasmic reticulum during mitosis. 1199.
Yang, Z.-h., Gallicano, G.I., Yu, Q.-C., and Fuchs, E. An unexpected localization of basonuclin in the centrosome, mitochondria, and acrosome of developing spermatids. 657.
Yaniv, M. *See* Reyes, Muchardt, and Yaniv.
Yee, A.G. *See* Hasson, Gillespie, Garcia, MacDonald, Zhao, Yee, Mooseker, and Corey.
Yokoyama, S. *See* Adachi, Takahashi, Hasebe, Shirouzu, Yokoyama, and Sutoh.
Yoshida, O. *See* Nishiyama, Itoh, Kaneko, Kishishita, Yoshida, and Fujita.
Yu, H. *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.
Yu, Q.-C. *See* Yang, Gallicano, Yu, and Fuchs.
Yu, W., Kim, J., and Ossowski, L. Reduction in surface urokinase receptor forces malignant cells into a protracted state of dormancy. 767.
Yuan, R., Primakoff, P., and Myles, D.G. A role for the disintegrin domain of cyritestin, a sperm surface protein belonging to the ADAM family, in mouse sperm–egg plasma membrane adhesion and fusion. 105.

Z

Zanotti, S. *See* Rauch, Polzar, Stephan, Zanotti, Paddenberg, and Mannherz.
Zegers, M.M.P. *See* van IJzendoorn, Zegers, Kok, and Hoekstra.
Zhai, Y. *See* Wang, Zhai, and Ferrell.
Zhao, Y.-d. *See* Hasson, Gillespie, Garcia, MacDonald, Zhao, Yee, Mooseker, and Corey.
Zhu, X.-c. *See* Kislauskis, Zhu, and Singer.

SUBJECT INDEX VOLUME 137

α1–5, expression, developmental transitions, chromosomal localizations of, 685
α3, novel isoform of, 685
α6β4, required for stable adhesion of epidermis to basement membrane, 729
Abnormal spindle, encodes a microtubule-associated protein, gene product involved in spindle microtubule dynamics, spindle abnormalities in mutants, 881
Acanthosis nigricans (Crouzon syndrome), activating mutations responsible for, 619
Achondroplasia (Crouzon syndrome), activating mutations responsible for, 619
Acrosome (of developing spermatid), localization of basonuclin in, 657
Actin
  mediates mitochondrial inheritance in yeast, 141
  Myo2p colocalizes with, 1309
  Rac and Rho required for reorganization of, 1421
  role in establishment and maintenance of cell polarity, 399
  survival of *Chlamydomonas* without, novel actin-like protein as substitute for, 649
Actin cytoskeleton, Mdm20p and Tpm1p establish molecular and functional heterogeneity of, 141
Actin filaments
  high turnover rate in budding yeast, 399
  IQGAP binds and cross-links, IQGAP1 regulates binding activity of, 1555
Actin ring, construction via protein–protein interactions, 169
Actomyosin system
  interaction with Ras pathway, 1309
  regulation of cytokinesis through, 891
ADAM family, a second member involved in sperm–egg adhesion, 105
Adaptor-related protein-3 complex, characterization of, involvement in trafficking to lysosomes, associated with Golgi region of the cell, 835
Adenomatous polyposis coli protein, interactions with β-catenin regulate epithelial tubulogenesis, 1651
Adhesion molecules, cross-talk between, 1663
Agrin, binds to laminins, localization to synaptic basal lamina, 671
Amebas (*Naegleria gruberi*), differentiation into flagellates, 871
Aminopeptidase I, vacuolar import of, oligomerization of, maintained as dodecamer throughout its import, transport through cytoplasm-to-vacuole targeting pathway, 609
Amphiphysin, isoforms of, help define distinct domains of cortical cytoplasm, 1355
Amphiphysin II, localization in brain and muscle, 1355
Amphiphysin/Rvs family, role in endocytosis and actin function, 1355
Anaphase, increased stability of kinetochore microtubules at onset of, 1567
Androgen, ablation triggers apoptosis, 909
Ankyrin, binding abolished by tyrosine phosphorylation of neurofascin, 703
Antigen 1E12, intracellular localization of, defines primordial cell restricted to smooth muscle lineage, as member of α-actinin family of cytoskeletal proteins, differential expression pattern in contractile vs. noncontractile cells, 925
Apical membrane cytoskeleton, role in organization of apical pole in epithelial cells, expressed in epithelia, 359
Apical pole, organization in epithelial cells, role of apical membrane cytoskeleton in the organization of, 359
Apoptosis
  activation of proteases during, blocked by Z-VAD.FMK, 469
  induced by TRAIL, TRAIL complements activity of CD95L system in, 221
  Src homology 2 domains in, Src homology 2–phosphotyrosine interactions in, 1117
  triggered by androgen ablation, 909
Atrial cardiomyocytes, GLUT-4 targeted to secretory granules in, 1243
Atrial natriuretic factor secretory granules, entry of GLUT-4 into, 1243
Axonal–glial signaling, role of neuregulin in, 211
Axons, oligodendrocyte survival depends on myelination of, 459
bal mice, lack of desmoglein 3 in, typical pemphigus vulgaris lesions in, desmoglein 3 gene mutation in, 1091
Basement membranes
  distribution of type IV collagen in, 1171
  localization of agrin to, 671
Basonuclin, in spermatogenesis, localization in centrosome, mitochondria, and acrosome of developing spermatids, 657
BC_3H1 cells, mediation of excitation–contraction coupling in, 859
Bcl-2
  in apoptosis, 1117
  carcinoembryonic antigen cooperates with, 939
  stimulates antioxidant protection in *sod1Δ* yeast, delays death of wild-type yeast, 1581
Biosynthetic pathways, basolateral sorting of transferrin receptor in (vs. in endocytic pathways), 1255
BiP, stimulated ATPase activity of, recruitment to translocon in *Saccharomyces cerevisiae*, 1483
Brain myosin V, tail domain forms a stable complex with synaptic vesicle membrane proteins, tail coupled to organelles in brain nerve terminals, 1589
Brain nerve terminals, brain myosin V tail coupled to organelles in, 1589
Breast cancer, elevated α2,3 sialyltransferase levels in, 1229
Brefeldin A
  delivery of βγ subunits to detergent-insoluble domains unaffected by, 305
  induces transfer of Golgi–endoplasmic reticulum membrane fusion, 319
Budding yeast, high rate of actin filament turnover in, effect of latrunculin-A on, 399
Ca^{2+}
  increase triggers lysosomal exocytosis, 93
  signals shaped and generated by mitochondria, 633
Cadherin, function regulated by Rho and Rac, 1421
Caenorhabditis elegans
  characterization of α1(IV) collagen gene (*emb-9*) mutations in, 1185
  type IV collagen distribution in, 1171
Calcium release units, early differentiation of, mediate excitation–contraction coupling in BC_3H1 cells, 859
Calmodulin, regulates actin-binding activity of IQGAP1, 1555
Cancer cell lines, perinucleolar compartment in, 965
CAN/Nup214, novel nucleoporin associated with, 989
Carcinoembryonic antigen, cooperates with Myc and Bcl-2 in cellular transformation, contributes to malignancy in myoblasts, 939
Caspases, role in TRAIL-induced apoptosis, 221
α-catenin, activation of protein kinase C can bypass the need for (to establish tight intercellular adhesion), 1103
β-catenin, interactions with adenomatous polyposis coli protein regulate epithelial tubulogenesis, 1651
CD44 isoforms, role in function of Langerhans cells and blood dendritic cells, 1137
Cdk2 kinase, negatively regulates DNA replication during S phase, 183
CDL95 system, activity complemented by TRAIL in triggering apoptosis, 221
Cell, wounding of, 1
Cell differentiation, phosphatidylinositol 3-kinase as negative regulator of, 1127
Cell division, dynamic rearrangement of structural protein 4.1 during, 275
Cell growth, temperature-dependent regulation of, 899
Cell migration
  regulation during epithelial tubulogenesis, 1651
  supported by tenascin, 755
Cell motility, regulated by mitogen-activated protein kinase, 481
Cell nucleus, dynamic organization of perinucleolar compartment in, 965
Cell polarity, role of actin in establishment and maintenance of, 399
Cellular junctions, neurexin functions at, 793
Cellular transformation, carcinoembryonic antigen cooperates with Myc and Bcl-2 in, 939

Cellular uropod, role in recruitment of T lymphocytes, 493
Centrosomes
of developing spermatid, localization of basonuclin in, 657
isolation from a specific time point in the meiotic cell cycle, role of β-tubulin in the structure of, 193
Ceramide, in apoptosis, 1117
Chlamydomonas, actin mutant of, survival without actin, 649
Chlamydomonas mating type plus gamete, fertilization tubules isolated from, 1537
Chlamydomonas reinhardtii ODA3 gene, encodes an outer dynein arm docking protein, insertional alleles for loci of, 1069
Chlamydomonas reinhardtii outer arm dynein, Tctex-2 homologue in, 1081
Chloroplasts, reexport machinery for inner envelope proteins in, 1279
Chromatin
degradation of, 37
dynamics in interphase nuclei, 1459
high mobility group 1 protein excluded from, 19
recycling of, 523
role of SWI/SNF complex in the remodeling of, 263
Chromosomes, high mobility group 1 protein associated with, 19
Clathrin-coated vesicles, formation in *trans*-Golgi network, 335
Coatomer, dissociation from membranes required for transfer of Golgi enzymes to endoplasmic reticulum, 319
Cold-induced growth suppression, mediated by cold-inducible RNA-binding protein, 899
Cold-inducible RNA-binding protein, mediates cold-induced growth suppression, involvement in temperature-dependent regulation of cell growth, 899
Collagen gene
α1(IV), mutations in *Caenorhabditis elegans* characterized, mutation affects type IV collagen distribution, 1185
α2(IV), mutation affects type IV collagen distribution, 1185
Collagenase I, activity required for keratinocyte migration, used by keratinocytes to cleave collagen to gelatin, induction in keratinocytes mediated by α2β1 integrin–dermal collagen interaction, 1445
βγ complex, formation of, 305
Connexin43, mitosis-specific phosphorylation of, 203
Connexin46, retained as monomers in *trans*-Golgi compartment of osteoblastic cells, 847
COOH-terminal translocation, promoted by short hydrophobic signal domains, 555
COPI, p53/58 mediates the binding of, 581
Core-2–based O-glycans, development inhibited by α2,3 sialyltransferase, 1229
Cortical cytoplasm, amphiphysin isoforms help define distinct domains of, 1355
Cortical microfilaments, cytochalasin D–sensitive colocalization of IQGAP1 with, 1555
C-src/microtubule association, induced by substrate recognition by osteoclast precursors, 247
Cyritestin, disintegrin domain of, role in sperm–egg adhesion and fusion, functions with fertilin β in sperm–egg adhesion, 105
Cysteine palmitoylation, as important constituent of a Golgi-targeting signal, 1525
Cytokinesis, *Dictyostelium* GAPA protein involved in completion of, 891
Cytoplasm, organization of interface with nuclear pore complex, 989
Cytoplasmic dynein, role in microtubule-mediated movement of purified membrane organelle, 113
Cytoplasm-to-vacuole targeting pathway, aminopeptidase I transport by, 609
Dendritic cells, role of CD44 isoforms in the function of, 1137
Deoxyribonuclease I, expression in regressing rat prostate, nuclear relocation of, 909
Dermal collagen, interaction with α2β1 integrin, 1445
Desmoglein 3, critical for adhesion in deep stratified squamous epithelia, lacking in *bal* mice, pemphigus vulgaris autoantibodies interfere with adhesive function of, 1091
Desmosomes
induction in α-catenin–negative cells by protein kinase C, 1103
slug causes dissociation of, 1403
Dictyostelium GAPA protein, regulates late cytokinesis, 891
Differentiation-specific mRNAs, role in formation of microtubule systems, 871
Dihydropyridine receptors, incorporation into tetrads, 859
Dim1p, essential for entry into mitosis, role in chromosome segregation during mitosis, role in mitotic spindle function/formation, 1337
Dm_0 gene, P element insertional mutation of, 1001
DNA replication, negatively regulated by Cdk2 kinase during S phase, 183
Dorsal root ganglion neurons, express multiple neuregulin isoforms, 211
Drosophila
abnormal spindle gene in, 881
dynamic nuclear distribution of protein Hrb57A during the embryonic development of, 291
mutated lamin Dm_0 gene in, 1001
Drosophila oocytes, spindle dynamics during meiosis in, 1321
Dynactin, role in microtubule-mediated movement of purified membrane organelle, 113
Early secretory pathway, p53/58 required for selective transport through, 581
emb-9, characterization of 11 mutations in, 1185
Endocrine system, role of phosphatidylinositol 3-kinase in the development of, 1127
Endocytic pathways, basolateral sorting of transferrin receptor in (vs. in biosynthetic pathways), 1255
Endocytosis, role of amphiphysin/Rvs family in, 1355
β_3-endonexin, affinity modulation of integrin $\alpha_{IIb}\beta_3$ by, 1433
Endoplasmic reticulum
brefeldin A induces fusion to Golgi enzymes, 319
dispersion of nuclear proteins throughout, 1199
protein translocation into, 1483
role of ERS-24 in vesicular transport between Golgi and, 1017
yeast, conformational repair of proteins in, 813
Endothelial nitric oxide synthase, Golgi targeting signal of, novel role for fatty acylation in specific compartmentalization of, 1525
Endothelioma cell, vs. plasminogen activator/plasmin system in tumor induction, 953
Epidermal basement membrane, α3β1 integrin required for the establishment/maintenance of, stable adhesion to epidermis relies on α6β4 integrin, 729
Epidermis, stable adhesion to epidermal basement membrane relies on α6β4 integrin, distinct roles of α6β4 and α3β1 integrins in, 729
Epithelial cells
lysosomes as Ca^{2+}-regulated vesicles in, 93
organization of the apical pole in, expression of apical membrane cytoskeleton in, 359
Rho and Rac required for establishment of cadherin function in, cadherin-dependent cell–cell contact formation in, remodeling of actin filaments in, 1421
tight intercellular adhesion by, 1103
Epithelial tubulogenesis, regulated by β-catenin–adenomatous polyposis coli protein interactions, 1651
Epithelial–mesenchymal transition, slug induces first phase of, slug necessary for, 1403
ERS-24, role in vesicular transport between endoplasmic reticulum and Golgi, 1017
E-selectin, dynamic adhesion of P-selectin glycoprotein ligand-1 to, 509
Euchromatin, immobile in Swiss 3T3 and HeLa cells during interphase, 1459
Excitation–contraction coupling, mediated by BC_3H1 cells, 859
Extracellular matrix, dictates phenotype of mammary epithelial cells, 231
Eye lens, chromatin degradation in, 37
Fatty acylation, novel role in specific compartmentalization of endothelial nitric oxide synthase to Golgi complex, 1525
Fertilin β, functions with cyritestin in sperm–egg adhesion, 105
Fertilization tubules, isolated from *Chlamydomonas* mating type plus gamete, proteins associated with, bind to activated mating type minus mating structures, failed binding to unactivated mating type minus mating structures, protease-sensitive adhesion molecules on, 1537
FGFR3, activating mutations in the transmembrane domain of, 619
Fiber cells, denucleation of, 37
Fibroblasts
lysosomes as Ca^{2+}-regulated vesicles in, 93
mouse, cold-induced growth suppression in, 899
Fission yeast *dim1*$^+$, encodes polypeptide essential for mitosis, essential for G_2/M progression, 1337
Gap junction protein, mitosis-specific phosphorylation of, 203
Gap1p, transport from Golgi to plasma membrane controlled by Sec13p and nitrogen source, 1469
GLFG nucleoporin, subfamily involved in nuclear export, 797
Glucocorticoid receptors, subnuclear trafficking of, 523
Glucosylceramide, segregation of, localization in apical region of cells, 347

GLUT-4, targeted to secretory granules in atrial cardiomyocytes, recycling via *trans*-Golgi reticulum, 1243
Golgi
role of ERS-24 in vesicular transport between endoplasmic reticulum and, 1017
SEC13 controls sorting of Gap1p in, 1469
Golgi apparatus, partitioning during mitosis, 1211
Golgi complex, compartmentalization of endothelial nitric oxide synthase to, 1525
Golgi enzymes, fusion to endoplasmic reticulum membrane induced by brefeldin A, 319
Golgi region, adaptor-related protein-3 complex associated with, 835
Golgi-targeting signal, N-myristoylation and cysteine palmitoylation as important constituents of, 1525
Hair-cell myosin isozymes, specific functions for, 1287
Heat shock, dynamic nuclear distribution of protein Hrb57A during, 291
Heat-denatured protein, Lhs1p involved in stabilization against proteolysis of, 813
HeLa cells
interphase euchromatin and heterochromatin immobile in, 1459
partitioning of Golgi apparatus in, 1211
Hepatocyte growth factor/scatter factor, role in *motogenic* and growth properties of myogenic cells, 1057
HepG2 cells, apical to basolateral transcytosis in, 347
HER2 and HER3, phosphorylation in Schwann cells induced by neuregulin, 211
HER4, phosphorylation in oligodendrocyte lineage cells induced by neuregulin, 211
Heterochromatin, immobile in Swiss 3T3 and HeLa cells during interphase, 1459
Heteromeric G proteins, assembly and intracellular targeting of the βγ subunits of, 305
Heteromeric laminins 8–11, identification of, 685
High mobility group 1 protein, subcellular localization of, exclusion from chromatin in vivo, association with chromatin and chromosomes during interphase and metaphase, 19
Histone H1, prevents high mobility group 1 protein from binding to nucleosomes, 19
hnRNP1 A1, M9 transport signal of, role in mRNA export from nucleus, 27
Human β cardiac myosin heavy chain, mutations affect sarcomeric structure, 131
Human monocytic tumor cells, activation of proteases during apoptosis in, 469
Hydrophobic signal domain, topogenic role of, translocations promoted by, 555
Hypertrophic cardiomyopathy, mutations display normal sarcomeric assembly, 131
Hypertrophic chondrocytes, production of mineralization-competent matrix vesicles in, expression of type I collagen in, 1149
ICE-related protease, role in TRAIL-induced apoptosis, 221
ida5, structural defects in, mutation in actin-encoding gene, 649
Ii chain, controls transport of major histocompatibility complex class II molecules to and from lysosomes, 51
Immature granules, procathepsins L and B in, as continuation of *trans*-Golgi network, 595
Influenza virus, membrane fusion to liposome, fusion intermediates induced by, 1041
Inner ear, distribution of four unconventional myosin isozymes in, 1287
Inner envelope proteins, reexport machinery for, 1279
Inner membrane, translocation of precursors across, 377
Integrin antibodies, reverse malignant phenotype of mammary epithelial cells, 231
Integrins
α2β1, interaction with dermal collagen, 1445
$\alpha_{IIb}\beta_3$, affinity modulation by β_3-endonexin, 1433
α3β1, required for establishment/maintenance of epidermal basement membrane, 729
β1 and β3, control N-cadherin activity, 1663
β1 and β4, influence mammary tissue morphogenesis, regulate cell growth and signal transduction, 231
Interleukin-1β–converting enzyme family proteases, in apoptosis, 1117
Interleukin-1β–converting enzyme–like proteases, activation during execution phase of apoptosis, 469
Intermediate filaments, role in organization of apical domain and related membrane cytoskeleton, 359
Interphase nuclei, chromatin dynamics in, chromosome confinement to domains in, 1459
Intralysosomal hsc73, role in hsc73-stimulated pathway of lysosomal proteolysis, recognition of denatured and native forms of, 825
Intramembrane particles, localization at membrane fusion sites, 1041
IQGAP, related *Dictyostelium* protein regulates late cytokinesis, 891
IQGAP1, binds and cross-links actin filaments, calmodulin regulates the actin-binding activity of, cytochalasin D–sensitive colocalization of, 1555
Kap95p, recycling of, mutation of its nuclear export signal, 797
Kar3p motor, regulates microtubules in preanaphase spindle, 417
Keratinocyte cell adhesion, loss due to disruption of pemphigus vulgaris antigen (desmoglein 3) gene, 1091
Keratinocytes
collagenase I activity required for migration of, bind tightly to collagen, 1445
overlapping roles of α6β4 and α3 and β1 integrins in, 729
Kinectin, role in microtubule-mediated movement of purified membrane organelle, 113
Kinesin, role in microtubule-mediated movement of purified membrane organelle, 113
Kinetochore, fiber maturation in PtK_1 cells, poleward movement not positively correlated with kinetochore microtubule number, 1567
Kinetochore microtubule, poleward movement of kinetochore not positively correlated with, increased stability at anaphase onset, 1567
Lama3 gene, cloning of novel α3 isoform encoded by, 685
Laminin α chains, expression, developmental transitions, chromosomal locations of α1–5, identification of heterotrimers 1–8, cloning of novel α3 isoform, 685
Laminins
8–11, heteromeric, identification of, 685
agrin binds to, 671
Lamins, essential for structural organization of cell nucleus, 1001
Langerhans cells, role of CD44 isoforms in the function of, 1137
Latrunculin-A, effects on budding yeast, 399
Lck (tyrosine kinase $p56^{lck}$), cell type–specific variation in the distribution of, palmitoylation sites influence targeting of, 1029
Lhs1p, involved in conformational repair of heat-damaged protein in endoplasmic reticulum, 813
Liposome, membrane fusion to influenza virus, 1041
Listeria monocytogenes
activation and degradation of phospholipase C during infection by, regulation of pathogenesis of, 1381
isolated comet tail pseudopodium of, 155
Lymphocyte rolling, supported by tenascin, 755
Lysosomal enzyme, sorting in secretory granules, 595
Lysosomal proteins, intralysosomal hsc73 required for degradation of, 825
Lysosomal proteolysis, role of lysosomal hsc73 in, 825
Lysosome-associated membrane protein-2 (LAMP-2), COOH domain targeting signals of, steady-state subcellular distribution of its variants, 1161
Lysosomes
adaptor-related protein-3 complex involved in trafficking to, 835
as Ca^{2+}-regulated vesicles, fusion with plasma membrane, 93
transport of major histocompatibility complex class II molecules to and from, 51
M9 transport signal (of hnRNP A1), involvement in the nuclear export of mRNA, function in mRNA export vs. hnRNP A1 protein transport, 27
Madin-Darby canine kidney cells, basolateral sorting of transferrin receptor in, 1255
Major histocompatibility complex class II molecules, transport to and from lysosomes, 51
Malignant cells, forced into state of dormancy by reduction in surface urokinase receptor, 767
Malignant phenotype, reversed by integrin antibodies, 231
Mammary epithelial cells, integrin antibodies reverse malignant phenotype of, 231
Mammary tissue, β1- and β4-integrins influence morphogenesis of, 231
Mannose 6-phosphate receptor, and formation of clathrin-coated vesicles in *trans*-Golgi network, 335
MAP1B gene, disruption of, essential for normal time course development of nervous system, 1615
Matrix metalloproteinases, expression during skin wound healing, 67
MDM20, and actin-mediated mitochondrial transport, required for formation and stabilization of actin cables, 141

Mdm20p, and molecular and functional heterogeneity of actin cytoskeleton, 141
Meiosis, spindle dynamics during, 1321
Meiotic prophase, telomere positioning before and during, 5
Meiotic spindle, dynamics in *Drosophila* oocytes, Nonclaret disjunctional microtubule motor required for elongation and stability of, 1321
Membrane fusion, between influenza virus and liposome, localization of intramembrane particles, fusion intermediates, influenza-induced, 1041
Membrane ruffling, membrane localization of Tiam1 required for the induction of, 387
Membrane type-1 matrix metalloproteinase, stromal activator of pro-gelatinase A, 67
Membrane-associated Tiam1, mediates Rac signaling, 387
met kinase, effect of its activation on myogenic differentiation, 1057
Mice, targeted disruption of pemphigus vulgaris antigen (desmoglein 3) gene in, 1091
Microspheres, attachment and rolling mediated by P-selectin glycoprotein ligand-1, 509
Microtubule arrays, number and length influenced by spindle pole motor, 417
Microtubule mRNAs, colocalization in *Naegleria gruberi*, 871
Microtubule systems, differentiation-specific mRNAs involved in formation of, 871
Microtubule-associated protein, encoded by *abnormal spindle* gene, 881
Microtubules
  molecular requirements for phagosome movement along, 113
  nucleation in centrosomes of *Spisula solidissima*, 193
  role of β-tubulin in the nucleation of, 193
  turnover influenced by Kar3p acting at the spindle poles, 417
Mineralization, initiated by hypertrophic chondrocytes, 1149
Mitochondria
  buffer Ca^{2+} that enters T cells, modulate rate of capacitative Ca^{2+} entry, 633
  of developing spermatid), localization of basonuclin in, 657
Mitochondrial protein import, relationship with multiple conductance channel, 377
Mitogen-activated protein kinase
  regulates cell motility, myosin light chain kinase as substrate for, 481
  role in spindle assembly checkpoint, 433
Mitosis
  dispersion of nuclear proteins throughout endoplasmic reticulum during, 1199
  fission yeast *dim1*$^{+}$ encodes a polypeptide essential for, role of Dim1p in chromosome segregation during, 1337
  partitioning of Golgi apparatus during, 1211
  phosphorylation of connexin43 during, coordination of molecular and cellular events accompanying, 203
Mitotic cells, connexin43 localized in compartments of, 203
Mitotic spindle, role of Dim1p in function/formation of, 1337
Mouse fibroblasts, cold-induced growth suppression in, 899
mRNA, role of M9 transport signal of hnRNP A1 in nuclear export of, 27
Multiple conductance channel, Tim23p required for the normal activity of, precursors translocated through the pore of, relationship with mitochondrial protein import, 377
Myc, carcinoembryonic antigen cooperates with, 939
Myelomonocytes, phosphorylation of pro-urokinase impairs adherence and motility of, 779
myo2 gene, encodes type II myosin heavy chain, 1309
Myoblast cells, hepatocyte growth factor/scatter factor autocrine loop in, 1057
Myoblasts, carcinoembryonic contributes to malignancy in, 939
Myogenic differentiation, effect of constitutive *met* kinase activation on, 1057
Myo2p, colocalizes with actin in contractile ring, 1309
Myosin-1β, role in adaptation, 1287
Myosin light chain kinase, as substrate for mitogen-activated protein kinase, 481
Myosins, in inner-ear sensory epithelia, 1287
Myosin-V, in afferent nerve terminals in auditory and vestibular tissues, 1287
Myosin-VI, high concentration in cuticular plates, association with stereociliary rootlets, 1287
Myosin-VIIa, required for structural integrity of hair bundles, 1287
Naegleria gruberi, colocalization of microtubule mRNAs in, differentiation of amebas into flagellates, 871
NBT-II cells, effects of slug on epithelial–mesenchymal transition in, 1403
N-cadherin, activity controlled by β1 and β3 integrins in migrating neural crest cells, 1663
Neogenesis, regulation of hormone-specific gene expression during, 1127
Nervous system, *MAP1B* gene essential for normal time course development of, 1615
Neural crest cells (migrating), N-cadherin activity controlled by β1 and β3 integrin signals in, 1663
Neuregulin, role in axonal–glial signaling, induces phosphorylation of HER2 in oligodendrocyte lineage cells, induces phosphorylation of HER2 and HER3 in Schwann cells, derived from dorsal root ganglion neurons, 211
Neurexins, function of, participation in cellular interactions, 793
Neurites, RhoGEF prevents outgrowth of, $p116^{Rip}$ promotes outgrowth of, 1603
Neuroendocrine cells, synaptic-like microvesicles of, 445
Neurofascin, ankyrin binding abolished by tyrosine phosphorylation of, as substrate for tyrosine kinases and protein tyrosine phosphatases, 703
NH_2-terminal translocation, promoted by long hydrophobic signal domains, 555
N-myristoylation, as important constituent of a Golgi-targeting signal, 1525
Nonclaret disjunctional microtubule motor, required for spindle elongation, required for spindle stability during meiotic divisions, 1321
Novel actin-like protein, as substitute for conventional actin, 649
Nuclear export, subfamily of GLFG nucleoporins involved in, 797
Nuclear membranes, lose identity as subcompartment of endoplasmic reticulum during mitosis, 1199
Nuclear pore complex, attachment of CAN/Nup214 to the cytoplasmic face of, 989
Nuclear proteins
  dispersion throughout endoplasmic reticulum during mitosis, 1199
  export regulated by phosphotyrosine system, 523
Nucleosomes, high mobility group 1 protein binds to, 19
Nucleus
  lamins essential for structural organization of, 1001
  structural protein 4.1 in, 275
  targeting of $U2AF^{65}$ to sites of active splicing in, 975
Nup84, functions in attachment of CAN/Nup214 to cytoplasmic face of nuclear pore complex, 989
Nup100p, role in Kap95p recycling, 797
Nup116p, role in Kap95p recycling, 797
Occludin (phosphorylation of), involvement in tight junction assembly, 1393
ODA loci, insertional alleles for, 1069
O-glycans, structure manipulated transfection with recombinant transferases, 1229
Oligodendrocytes
  express neuregulin receptors HER2 and HER4, 211
  lineage of, survival depends on myelination of appropriate axons, expression and targeting of proteolipid protein by, 459
Osteoblastic cells, differentially regulate transport and assembly of connexin43 and connexin46, connexin46 retained as monomers in *trans*-Golgi compartment of, 847
Osteoclast precursors, substrate recognition by, induces c-src/microtubule association, 247
Outer dynein arm docking complex, *Chlamydomonas reinhardtii ODA3* gene encodes a protein of, 1069
p53/58, mediates COPI binding, required for selective transport through early secretory pathway, 581
$p56^{lck}$, subcellular distribution of, targeted to plasma membrane, 1029
$p116^{Rip}$, interacts with GDP- and GTP-bound forms of RhoA, inhibits RhoA–stimulated contractility, promotes neurite outgrowth, 1603
$p185^{c\text{-}neu}$ receptor tyrosine kinase, requirements for activation of, role of transmembrane domain in the activation of, 619
Palmitoylation, Lck (tyrosine kinase $p56^{lck}$) is targeted to sites of, 1029
Pancreatic β cells, lysosomal proenzyme sorting in, 595
Parasites, tumor necrosis factor-α may control in vivo development of, 715
Pemphigus vulgaris, autoantibodies interfere with adhesive function of desmoglein 3, typical lesions in *bal* mice, 1091
Pep12p, Vti1p interacts with, 1511
Perinucleolar compartment, dynamic organization in cell nucleus, polypyrimidine tract binding protein localization in, in human cancer and normal cell lines, 965
Permeases, regulated secretion of, 1469
Peroxisomes, biogenesis in *Yarrowia lipolytica*, 1265
PEX16 gene, cloning and sequencing of, overexpression in *Yarrowia lipolytica*, 1265
Pex16p, identification and characterization of, encoded by the *PEX16* gene, 1265

Phagosomes, molecular requirements for movement along microtubules, 113
Phosphatidylinositol 3-kinase, as negative regulator of cell differentiation, role in development of human endocrine system, 1127
Phospholipase C, activation and degradation of, 1381
Phosphorylation, of occludin, involvement in tight junction assembly, 1393
Phosphotyrosine, interaction with Src homology 2 in apoptosis, 1117
Plasma membrane
  fusion with lysosomes, 93
  integrity of, disruption in, 1
  synaptic-like microvesicle/synaptic vesicle donor compartment connected to, 445
  targeting of $p56^{lck}$ to, 1029
Plasminogen activator/plasmin system, role in polyomavirus oncogenesis, genetic alterations affect vascular tumor development, vs. endothelioma cell in tumor induction, 953
Polyomavirus, role of plasminogen activator/plasmin system in oncogenesis of, 953
Polypeptide domains, translocation across the inner envelope into intermembrane space, 1279
Polypyrimidine tract binding protein, localization in perinucleolar compartment, 965
Porcine oocytes, P-selectin ligand in zona pellucida of, 743
Post-Golgi vesicles, Sec2p involved in polarized delivery of, 1495
Preanaphase spindle, Kar3p motor regulates microtubules in, 417
Premyelinating oligodendrocytes, differentiation and death of, 459
Primordial smooth muscle, 1E12 antigen as novel marker for, 925
Procathepsins L and B, in immature granules, 595
Procyclin, EP form vs. GPEET form, specific forms enhance survival of *Trypanosoma brucei* in tsetse fly, 1369
Profilin, *Schizosaccharomyces pombe cdc12p* interacts with, 169
Pro-gelatinase A, activated by membrane type-1 matrix metalloproteinase, role in restoration of connective tissue in wound healing, 67
Proteases, activation during apoptosis, 469
Proteasome cap subunit, required for spindle pole body duplication, 539
Protein Hrb57A, dynamic nuclear redistribution during *Drosophila* embryonic development and heat shock, 291
Protein kinase C, induces desmosomes in α-catenin–negative cells, activation can bypass need for α-catenin to establish tight intercellular adhesion, 1103
Protein kinase inhibitors, inhibit release of human SWI/SNF complexes, 263
Protein tyrosine phosphatases, neurofascin as substrate for, 703
Proteolipid protein, expressed and targeted by oligodendrocytes, 459
Proteolysis, Lhs1p involved in stabilization against, 813
Pro-urokinase, signaling ability of, phosphorylation on $Ser^{138/303}$, phosphorylation impairs myelomonocytic adherence and motility, 779
P-selectin
  acrosomal membrane of porcine sperm cells, role in porcine sperm–egg interactions, 743
  dynamic adhesion of P-selectin glycoprotein ligand-1 to, 509
P-selectin glycoprotein ligand-1, mediates microsphere attachment and rolling, dynamic adhesion to P- and E-selectin, 509
P-selectin ligand, in zona pellucida of porcine oocytes, role in porcine sperm–egg interactions, 743
PtK_1 cells, kinetochore fiber maturation in, 1567
Rac, works with Rho to regulate cadherin function and actin reorganization, 1421
Rac signaling, mediated by membrane-associated Tiam1, 387
Ras pathway, acto–myosin system interacts with, 1309
Rat prostate, deoxyribonuclease I expression in, 909
Rho, works with Rac to regulate cadherin function and actin reorganization, 1421
RhoA, RhoGEF interacts with wild-type and activated forms of, $p116^{Rip}$ interacts with GDP- and GTP-bound forms of, neuronal shape changes mediated by, 1603
RhoGEF (novel putative GDP/GTP exchange factor), interacts with wild-type and activated RhoA, induces cell rounding, prevents neurite outgrowth, 1603
RNA binding, necessary for polypyrimidine tract binding protein localization in perinucleolar compartment, 965
Ryanodine receptors, assembly of arrays guides tetrad assembly, 859
S phase, Cdk2 kinase negatively regulates DNA replication during, 183
Saccharomyces cerevisiae
  Bcl-2 improves survival of wild-type, 1581
  BiP recruitment to the translocon of, 1483
  Kar3p motor of, 417
  novel v-SNARE of, 1511
  regulated protein sorting in the secretory pathway of, 1469
  selective protein sorting defect due to mutated *VPS29* and *VPS30* genes, 79
  spindle pole body duplication in, 539
Sarcomere, structure affected by mutations in human β cardiac myosin heavy chain, assembly normal in hypertrophic cardiomyopathy mutations, 131
Schizosaccharomyces pombe, type II myosin heavy chain composes contractile ring during cytokinesis in, 1309
Schizosaccharomyces pombe cdc12p, interaction with profilin, as component of cell division ring, cloning and molecular characterization of, 169
Schwann cells, express neuregulin receptors HER2 and HER3, 211
SEC2, mutations cause mislocalization of Sec4p, 1495
Sec2p, mediates nucleotide exchange on Sec4p, involved in polarized delivery of post-Golgi vesicles, 1495
Sec4p, mislocalization caused by mutations in *SEC2*, Sec2p mediates nucleotide exchange on, 1495
SEC13, controls sorting of Gap1p in Golgi, 1469
Sec13p, controls Gap1p transport from Golgi to plasma membrane, 1469
Sec63p, lumenal domain stimulates BiP ATPase activity, mediates BiP recruitment to translocon in *Saccharomyces cerevisiae*, 1483
Secretory granules, lysosomal enzyme sorting in, 595
Sed5p, Vti1p interacts with, 1511
$Ser^{138/303}$, phosphorylation of pro-urokinase on, 779
SH2 domains, ZAP-70 protein tyrosine kinase targeted to T cell cortex independent of, 1639
α2,3 sialyltransferase, elevated levels in breast cancer, inhibits development of core-2–based O-glycans, 1229
Signal–anchor proteins, orientation of, topogenesis of, hydrophobicity of, 555
Skin wound healing, expression of matrix metalloproteinases during, role of membrane type-1 matrix metalloproteinase and pro-gelatinase A in, 67
Slug (zinc-finger protein), causes desmosome dissociation, induces first phase of growth factor–induced epithelial–mesenchymal transition, necessary for epithelial–mesenchymal transition, 1403
Small GTPases, role in cadherin-dependent cell–cell contact formation, role in actin filament remodeling in epithelial cells, 1421
Sperm, *t*-bearing vs. wild-type, Tctex-2 as flagellar arm component of, 1081
Spermatid, localization of basonuclin in the acrosome, mitochondria, and centrosome of, 657
Spermatogenesis, basonuclin in, 657
Sperm–egg adhesion and fusion, role of cyritestin in, 105
Sperm–egg interactions, role of oocyte P-selectin ligand and sperm P-selectin in, 743
Sphingomyelin, segregation of, localization in basolateral region of cells, 347
Spindle assembly checkpoint, role of mitogen-activated protein kinase in, 433
Spindle microtubules, *abnormal spindle* gene product involved in dynamics of, 881
Spindle pole body, requirements for duplication of, 539
Spindle pole motor, influence on microtubule arrays, 417
Spisula solidissima centrosomes, microtubule nucleation in, stoichiometric ratio of α/β tubulin in, 193
Src homology 2, in apoptosis, interaction with phosphotyrosine, 1117
Stromal cells, activation of progelatinase A on the surface of, 67
Structural protein 4.1, dynamic rearrangement during cell division, role in nuclear architecture and function, 275
Substrate recognition, by osteoclast precursors, induces c-src/microtubule association, 247
SWI/SNF complex, human, subnuclear localization of, involved in chromatin remodeling, release inhibited by protein kinase inhibitors, 263
Swiss 3T3 cells, interphase euchromatin and heterochromatin immobile in, 1459
Synapsis, telomere clustering before the initiation of, 5
Synaptic basal lamina, localization of agrin to, 671
Synaptic vesicle membrane proteins, tail domain of brain myosin V forms stable complex with, 1589
Synaptic-like microvesicles, origin of, donor compartment of, 445
Synaptobrevin–synaptophysin complex, as binding partner for myosin V in multimeric complex, 1589

T cell cortex, ZAP-70 protein tyrosine kinase targeted to, independent of SH2 domains, 1639
T lymphocytes
mitochondrial regulation of store-operated calcium signaling in, 633
role of cellular uropod in recruitment of, 493
Tctex-2, homologue in *Chlamydomonas reinhardtii* outer arm dynein, as sperm flagellar arm component, *t*-encoded mutations in, 1081
Telomeres, clustering before inhibition of synapsis, positions before and during meiotic prophase, 5
Tenascin, supports lymphocyte rolling, adhesive domain on, support of cell migration, 755
Tetrads, assembly guided by assembly of ryanodine receptor arrays, incorporation of individual dihydropyridine receptors into, 859
Tiam1, membrane-associated, mediates Rac signaling, 387
Tight junction, possible involvement of occludin phosphorylation in assembly of, 1393
tim23 mutant, peptide sensitivity of multiple conductance channel altered in, 377
Tim23p, required for normal activity of the multiple conductance channel, 377
TPA (protein kinase C activator), effect on invasive α-catenin–negative human colon cell lines, 1103
TPM1, required for formation and stabilization of actin cables, 141
Tpm1p, and molecular and functional heterogeneity of actin cytoskeleton, 141
TRAIL, complements activity of the CD95L system in triggering apoptosis, 221
Transcription sites, in vivo dynamic redistribution of, 291
Transcytotic pathway, sphingolipid sorting in, 347
Transferrin receptor, basolateral sorting of, 1255
trans-Golgi compartment, role of Ypt31/32 GTPases in vesicle budding from, fusing recycling vesicles to, and exit from, 563
trans-Golgi network
formation of clathrin-coated vesicles in, 335
monomeric connexin46 retained in, 847
trans-Golgi reticulum, recycling of GLUT-4 via, 1243
Transmembrane domain, role in the activation of $p185^{c\text{-}neu}$ receptor tyrosine kinase, 619
Trypanosoma brucei
procyclin gene knockouts of, survival in tsetse fly, 1369
tumor necrosis factor-α mediates lysis of, 715
Tsetse fly, enhancement of *Trypanosoma brucei* survival in, 1369
α/β-tubulin, stoichiometric ratio in centrosomes of *Spisula solidissima*, 193
β-tubulin, as component of oligomeric ring structure, role in centrosome structure, role in microtubule nucleation, 193
Tumor dormancy, forced by deficit in urokinase receptor, interrupted by bypassing deficit in urokinase receptor, 767
Tumor necrosis factor, full response elicited by induced expression of trimerized intracellular domains of tumor necrosis factor p55 receptor, 1627
Tumor necrosis factor-α, mediates lysis of *Trypanosoma brucei*, may control parasite development in vivo, 715
Tumor necrosis factor p55 receptor, induced expression of trimerized intracellular domains of, 1627
Type I collagen, expressed by type X collagen–positive chondrocytes, 1149
Type II myosin heavy chain, composes contractile ring during cytokinesis in *Schizosaccharomyces pombe*, encoded by the *myo2* gene, 1309
Type IV collagen, distribution in *Caenorhabditis elegans* basement membranes, control of assembly sites, 1171
Type IV collagen distribution, effects of α1 and α2(IV) mutations on, 1185
Type X collagen–positive chondrocytes, express type I collagen, 1149
Tyrosine kinase $p56^{lck}$, cell type–specific variation in the distribution of, palmitoylation sites influence targeting of, 1029
Tyrosine kinases, neurofascin as substrate for, 703
$U2AF^{65}$, targeting to sites of active splicing in the nucleus, arginine/serine domain required for recruitment to active splicing sites, novel monoclonal antibody that reacts specifically with, 975
Urokinase receptor
deficit forces tumor dormancy, 767
pro-urokinase phosphorylation on $Ser^{138/303}$ modulates transducing ability of, 779
Vascular tumor, development affected by genetic alterations in plasminogen activator/plasmin system, pathogenesis of those induced by endothelioma cell vs. plasminogen activator/plasmin system, 953
Vesicle transport pathways, mediated by Vti1p, 1511
Vesicular stomatitis virus glycoprotein, arrest of anterograde transport of, 581
Vesicular transport, role of ERS-24 in, 1017
Vps10p, gene products involved in the endosome-to-Golgi retrieval of, 79
VPS29 and *VPS30* genes, mutations in *Saccharomyces cerevisiae* and selective protein sorting defect, 79
VPS29 gene product, role in the endosome-to-Golgi retrieval of Vps10p, 79
VPS30 gene product, role in the endosome-to-Golgi retrieval of Vps10p, 79
VPS35 gene product, role in the endosome-to-Golgi retrieval of Vps10p, 79
VTI1, role in Vti1p–Sed5p interactions, 1511
Vti1p, interactions with Sed5p and Pep12p, mediates vesicle transport pathways, role in *cis*-Golgi membrane traffic, role in fusion of Golgi-derived vesicles with prevacuolar compartment, 1511
Xenopus tadpole cell line (XTC cells), requirements for spindle assembly checkpoint in, 433
Yarrowia lipolytica, peroxisome biogenesis in, overexpression of *PEX16* gene in, 1265
Yeast
Bcl-2 stimulates antioxidant protection in, Bcl-2 delays death of wild-type, 1581
mitochondrial inheritance in, 141
Yeast endoplasmic reticulum, conformational repair of proteins in, 813
Ypt31/32 GTPases, role in vesicle budding from *trans*-Golgi compartment, role in fusing recycling vesicles with *trans*-Golgi compartment, role in exit from *trans*-Golgi network, 563
Ypt/rab GTPases, function in vesicle budding, 563
ZAP-70 protein tyrosine kinase, targeted to T cell cortex independently of SH2 domains, 1639
Z-VAD.FMK, blocks apoptosis, 469